

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	N	Percent	95% Confidence Interval
a. Physical activity			
High Schools	113	46	39 - 53
Middle Schools	143	44	37 - 52
Junior/Senior High Schools	26	46	33 - 60
All Schools	282	45	40 - 50
b. Nutrition			
High Schools	115	48	41 - 55
Middle Schools	142	47	40 - 55
Junior/Senior High Schools	26	46	36 - 56
All Schools	283	47	43 - 52
c. Tobacco-use prevention			
High Schools	114	48	41 - 56
Middle Schools	145	44	37 - 52
Junior/Senior High Schools	26	57	42 - 71
All Schools	285	47	42 - 52
d. Asthma			
High Schools	112	12	8 - 18
Middle Schools	141	25	19 - 31
Junior/Senior High Schools	26	23	15 - 34
All Schools	279	20	16 - 24

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that have a copy of district's wellness policy.

	N	Percent	95% Confidence Interval
Yes			
High Schools	117	96	91 - 98
Middle Schools	149	95	91 - 97
Junior/Senior High Schools	26	96	83 - 99
All Schools	292	95	93 - 97
No			
High Schools	117	3	1 - 6
Middle Schools	149	5	3 - 9
Junior/Senior High Schools	26	4	1 - 17
All Schools	292	4	2 - 6
District does not have wellness policy			
High Schools	117	2	1 - 5
Middle Schools	149	0	NA
Junior/Senior High Schools	26	0	NA
All Schools	292	1	0 - 2

NA=Not available
N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

	N	Percent	95% Confidence Interval
High Schools	117	89	83 - 93
Middle Schools	149	93	89 - 96
Junior/Senior High Schools	26	96	83 - 99
All Schools	292	92	89 - 94

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent	95% Confidence Interval
High Schools	115	76	69 - 81
Middle Schools	149	75	68 - 81
Junior/Senior High Schools	26	77	62 - 87
All Schools	290	75	71 - 79

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
a. School administration			
High Schools	85	99	94 - 100
Middle Schools	109	96	92 - 98
Junior/Senior High Schools	20	100	NA
All Schools	214	98	95 - 99
b. Health education teachers			
High Schools	85	96	91 - 99
Middle Schools	110	89	84 - 93
Junior/Senior High Schools	20	95	79 - 99
All Schools	215	93	89 - 95
c. Physical education teachers			
High Schools	85	94	88 - 97
Middle Schools	110	92	86 - 95
Junior/Senior High Schools	20	95	79 - 99
All Schools	215	93	89 - 95
d. Mental health or social services staff			
High Schools	84	45	36 - 54
Middle Schools	107	42	35 - 51
Junior/Senior High Schools	19	42	27 - 59
All Schools	210	43	38 - 49
e. Nutrition or food service staff			
High Schools	85	91	84 - 95
Middle Schools	110	79	72 - 85
Junior/Senior High Schools	19	84	65 - 94
All Schools	214	84	79 - 88
f. Health services staff (e.g., school nurse)			
High Schools	85	84	78 - 89
Middle Schools	108	79	72 - 85
Junior/Senior High Schools	19	85	74 - 92
All Schools	212	82	77 - 86

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
g. Maintenance and transportation staff			
High Schools	85	22	16 - 30
Middle Schools	107	23	17 - 31
Junior/Senior High Schools	19	21	11 - 38
All Schools	211	22	18 - 28
h. Student body			
High Schools	85	70	61 - 78
Middle Schools	109	44	36 - 53
Junior/Senior High Schools	19	63	43 - 79
All Schools	213	56	50 - 62
i. Parents or families of students			
High Schools	85	81	74 - 87
Middle Schools	109	72	64 - 79
Junior/Senior High Schools	20	85	66 - 94
All Schools	214	77	72 - 81
j. Community			
High Schools	85	75	68 - 81
Middle Schools	107	65	58 - 72
Junior/Senior High Schools	20	90	73 - 97
All Schools	212	72	67 - 76
k. Local health departments, agencies, or organizations			
High Schools	85	47	39 - 55
Middle Schools	108	45	37 - 53
Junior/Senior High Schools	19	36	21 - 54
All Schools	212	45	40 - 51
l. Faith-based organizations			
High Schools	85	17	12 - 25
Middle Schools	107	16	11 - 21
Junior/Senior High Schools	19	15	6 - 33
All Schools	211	16	13 - 20

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
m. Businesses			
High Schools	85	22	16 - 29
Middle Schools	107	17	12 - 24
Junior/Senior High Schools	19	15	7 - 30
All Schools	211	19	15 - 23
n. Local government			
High Schools	85	19	13 - 25
Middle Schools	107	14	9 - 20
Junior/Senior High Schools	19	15	7 - 30
All Schools	211	16	12 - 20

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	N	Percent	95% Confidence Interval
a. Ethnic/racial minority youth at high risk			
High Schools	115	20	14 - 26
Middle Schools	149	18	14 - 24
Junior/Senior High Schools	26	26	15 - 41
All Schools	290	20	16 - 24
b. Youth who participate in drop-out prevention, alternative education, or GED programs			
High Schools	117	38	31 - 46
Middle Schools	149	23	18 - 29
Junior/Senior High Schools	26	33	19 - 50
All Schools	292	30	26 - 34

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

	N	Percent	95% Confidence Interval
High Schools	117	40	34 - 46
Middle Schools	148	10	7 - 15
Junior/Senior High Schools	25	19	9 - 37
All Schools	290	23	19 - 26

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
a. Attendance of students with HIV infection			
High Schools	113	43	36 - 51
Middle Schools	146	52	45 - 59
Junior/Senior High Schools	26	61	48 - 73
All Schools	285	49	44 - 54
b. Procedures to protect HIV-infected students and staff from discrimination			
High Schools	113	60	53 - 67
Middle Schools	146	64	57 - 70
Junior/Senior High Schools	25	67	56 - 76
All Schools	284	63	58 - 67
c. Maintaining confidentiality of HIV-infected students and staff			
High Schools	113	70	62 - 76
Middle Schools	145	75	68 - 80
Junior/Senior High Schools	26	73	56 - 85
All Schools	284	73	68 - 77
d. Worksite safety			
High Schools	113	81	75 - 86
Middle Schools	146	82	76 - 87
Junior/Senior High Schools	26	77	61 - 87
All Schools	285	81	77 - 85
e. Confidential counseling for HIV-infected students			
High Schools	113	58	50 - 66
Middle Schools	145	49	43 - 56
Junior/Senior High Schools	26	69	54 - 80
All Schools	284	55	50 - 59
f. Communication of the policy to students, school staff, and parents			
High Schools	113	56	48 - 64
Middle Schools	145	58	51 - 65
Junior/Senior High Schools	26	62	46 - 75
All Schools	284	57	52 - 62

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
g. Adequate training about HIV infection for school staff			
High Schools	113	63	56 - 70
Middle Schools	144	66	59 - 73
Junior/Senior High Schools	26	72	53 - 86
All Schools	283	65	61 - 70
h. Procedures for implementing the policy			
High Schools	113	57	50 - 65
Middle Schools	145	60	53 - 67
Junior/Senior High Schools	26	54	38 - 69
All Schools	284	59	54 - 63

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	116	97	93 - 99
Middle Schools	149	88	83 - 91
Junior/Senior High Schools	25	92	76 - 98
All Schools	290	92	89 - 94
b. No			
High Schools	116	2	1 - 5
Middle Schools	149	10	7 - 14
Junior/Senior High Schools	25	8	2 - 24
All Schools	290	7	5 - 9
c. Not applicable			
High Schools	116	1	0 - 4
Middle Schools	149	3	1 - 4
Junior/Senior High Schools	25	0	NA
All Schools	290	2	1 - 3

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
High Schools	116	100	NA
Middle Schools	150	100	NA
Junior/Senior High Schools	26	96	83 - 99
All Schools	292	100	99 - 100

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of all schools that taught a required physical education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
High Schools	NA	NA	NA
Middle Schools	126	100	NA
Junior/Senior High Schools	14	86	65 - 95
All Schools	140	99	96 - 100
b. Seventh grade			
High Schools	NA	NA	NA
Middle Schools	143	100	NA
Junior/Senior High Schools	25	96	83 - 99
All Schools	168	99	97 - 100
c. Eighth grade			
High Schools	NA	NA	NA
Middle Schools	145	100	NA
Junior/Senior High Schools	25	96	83 - 99
All Schools	170	99	97 - 100
d. Ninth grade			
High Schools	111	99	95 - 100
Middle Schools	26	89	74 - 96
Junior/Senior High Schools	24	88	80 - 93
All Schools	161	96	93 - 98
e. Tenth grade			
High Schools	112	95	90 - 97
Middle Schools	NA	NA	NA
Junior/Senior High Schools	24	80	68 - 89
All Schools	136	92	88 - 95
f. Eleventh grade			
High Schools	109	84	77 - 88
Middle Schools	NA	NA	NA
Junior/Senior High Schools	23	62	44 - 77
All Schools	132	80	74 - 85
g. Twelfth grade			
High Schools	105	50	42 - 58
Middle Schools	NA	NA	NA
Junior/Senior High Schools	22	42	27 - 59
All Schools	127	49	41 - 56

*Among schools with students in that grade.
NA=Not available
N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
a. Enrollment in other courses			
High Schools	115	23	17 - 29
Middle Schools	148	4	2 - 8
Junior/Senior High Schools	25	24	11 - 43
All Schools	288	13	10 - 16
b. Participation in school sports			
High Schools	115	0	NA
Middle Schools	148	2	1 - 5
Junior/Senior High Schools	25	0	NA
All Schools	288	1	0 - 3
c. Participation in other school activities			
High Schools	115	3	1 - 7
Middle Schools	148	2	1 - 5
Junior/Senior High Schools	25	0	NA
All Schools	288	2	1 - 4
d. Participation in community sports activities			
High Schools	115	0	NA
Middle Schools	148	1	0 - 4
Junior/Senior High Schools	25	0	NA
All Schools	288	1	0 - 2
e. Religious reasons			
High Schools	115	31	25 - 38
Middle Schools	148	44	37 - 51
Junior/Senior High Schools	25	32	17 - 51
All Schools	288	38	33 - 43
f. Long-term physical or medical disability			
High Schools	115	86	81 - 90
Middle Schools	148	78	72 - 83
Junior/Senior High Schools	25	84	68 - 93
All Schools	288	82	78 - 85
g. Cognitive disability			
High Schools	115	28	22 - 35
Middle Schools	148	21	16 - 28
Junior/Senior High Schools	25	13	5 - 30
All Schools	288	23	19 - 27

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
h. High physical fitness competency test score			
High Schools	114	0	NA
Middle Schools	147	2	0 - 5
Junior/Senior High Schools	25	0	NA
All Schools	286	1	0 - 2
i. Participation in vocational training			
High Schools	115	2	1 - 5
Middle Schools	148	2	0 - 5
Junior/Senior High Schools	25	0	NA
All Schools	288	1	1 - 3
j. Participation in community service activities			
High Schools	115	1	0 - 4
Middle Schools	147	1	0 - 3
Junior/Senior High Schools	25	0	NA
All Schools	287	1	0 - 2

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	116	100	NA
Middle Schools	150	100	NA
Junior/Senior High Schools	26	100	NA
All Schools	292	100	NA
b. No			
High Schools	116	0	NA
Middle Schools	150	0	NA
Junior/Senior High Schools	26	0	NA
All Schools	292	0	NA
c. Not Applicable			
High Schools	116	0	NA
Middle Schools	150	0	NA
Junior/Senior High Schools	26	0	NA
All Schools	292	0	NA

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

	N	Percent	95% Confidence Interval
High Schools	116	90	84 - 94
Middle Schools	147	95	91 - 97
Junior/Senior High Schools	26	96	83 - 99
All Schools	289	93	90 - 95

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that provide those who teach physical education with the following materials.

	N	Percent	95% Confidence Interval
a. Goals, objectives, and expected outcomes for physical education			
High Schools	116	98	95 - 99
Middle Schools	149	97	94 - 99
Junior/Senior High Schools	26	96	83 - 99
All Schools	291	98	96 - 99
b. A chart describing the annual scope and sequence of instruction for physical education			
High Schools	115	86	81 - 90
Middle Schools	147	90	85 - 93
Junior/Senior High Schools	25	76	57 - 89
All Schools	287	87	84 - 90
c. Plans for how to assess student performance in physical education			
High Schools	115	88	82 - 92
Middle Schools	146	83	77 - 88
Junior/Senior High Schools	25	77	58 - 89
All Schools	286	84	80 - 88
d. A written physical education curriculum			
High Schools	115	97	92 - 98
Middle Schools	149	95	91 - 97
Junior/Senior High Schools	26	92	77 - 98
All Schools	290	95	93 - 97

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

	N	Percent	95% Confidence Interval
High Schools	113	70	63 - 76
Middle Schools	148	82	76 - 86
Junior/Senior High Schools	22	58	41 - 73
All Schools	283	75	71 - 79

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent	95% Confidence Interval
High Schools	116	99	96 - 100
Middle Schools	150	99	97 - 100
Junior/Senior High Schools	26	96	81 - 99
All Schools	292	99	97 - 100

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	116	97	93 - 99
Middle Schools	147	98	95 - 100
Junior/Senior High Schools	25	88	72 - 96
All Schools	288	97	95 - 98
b. Smokeless tobacco			
High Schools	116	97	92 - 98
Middle Schools	147	98	95 - 99
Junior/Senior High Schools	25	88	72 - 96
All Schools	288	97	94 - 98
c. Cigars			
High Schools	116	94	91 - 96
Middle Schools	147	96	92 - 98
Junior/Senior High Schools	25	84	67 - 93
All Schools	288	94	92 - 96
d. Pipes			
High Schools	116	92	88 - 95
Middle Schools	147	95	91 - 97
Junior/Senior High Schools	25	80	61 - 91
All Schools	288	93	90 - 95

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	116	97	92 - 98
Middle Schools	147	96	92 - 98
Junior/Senior High Schools	25	88	72 - 96
All Schools	288	96	93 - 97
b. Smokeless tobacco			
High Schools	116	96	91 - 98
Middle Schools	147	94	90 - 97
Junior/Senior High Schools	25	88	72 - 96
All Schools	288	94	92 - 96
c. Cigars			
High Schools	116	93	90 - 95
Middle Schools	147	93	90 - 96
Junior/Senior High Schools	25	84	67 - 93
All Schools	288	93	90 - 95
d. Pipes			
High Schools	116	91	87 - 94
Middle Schools	147	93	90 - 96
Junior/Senior High Schools	24	79	60 - 91
All Schools	287	92	89 - 94

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	116	96	91 - 98
Middle Schools	147	96	92 - 98
Junior/Senior High Schools	25	88	72 - 96
All Schools	288	95	93 - 97
b. Smokeless tobacco			
High Schools	115	93	88 - 96
Middle Schools	147	94	90 - 97
Junior/Senior High Schools	25	88	72 - 96
All Schools	287	93	90 - 95
c. Cigars			
High Schools	116	91	86 - 94
Middle Schools	145	93	90 - 96
Junior/Senior High Schools	25	84	67 - 93
All Schools	286	92	89 - 94
d. Pipes			
High Schools	116	89	84 - 92
Middle Schools	147	93	90 - 96
Junior/Senior High Schools	25	80	61 - 91
All Schools	288	91	88 - 93

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	115	97	92 - 98
Middle Schools	146	98	95 - 99
Junior/Senior High Schools	26	96	81 - 99
All Schools	287	97	95 - 98
b. During non-school hours			
High Schools	115	89	83 - 93
Middle Schools	146	83	78 - 88
Junior/Senior High Schools	26	88	73 - 95
All Schools	287	86	82 - 89

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	114	94	89 - 97
Middle Schools	146	96	92 - 98
Junior/Senior High Schools	26	96	81 - 99
All Schools	286	95	92 - 97
b. During non-school hours			
High Schools	114	79	72 - 85
Middle Schools	144	75	68 - 81
Junior/Senior High Schools	26	84	73 - 91
All Schools	284	77	73 - 81

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	115	95	90 - 97
Middle Schools	146	96	92 - 98
Junior/Senior High Schools	26	96	81 - 99
All Schools	287	95	93 - 97
b. During non-school hours			
High Schools	114	80	73 - 85
Middle Schools	145	75	68 - 81
Junior/Senior High Schools	26	84	73 - 91
All Schools	285	78	73 - 82

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	115	98	95 - 99
Middle Schools	147	99	97 - 100
Junior/Senior High Schools	26	96	81 - 99
All Schools	288	99	97 - 99
b. Outside on school grounds, including parking lots and playing fields			
High Schools	114	99	96 - 100
Middle Schools	147	98	95 - 99
Junior/Senior High Schools	25	96	80 - 99
All Schools	286	98	96 - 99
c. On school buses or other vehicles used to transport students			
High Schools	115	96	92 - 98
Middle Schools	146	98	95 - 99
Junior/Senior High Schools	26	96	81 - 99
All Schools	287	97	95 - 98
d. At off-campus, school-sponsored events			
High Schools	113	95	90 - 97
Middle Schools	147	92	88 - 95
Junior/Senior High Schools	26	96	81 - 99
All Schools	286	94	91 - 96

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	115	98	95 - 99
Middle Schools	147	98	94 - 99
Junior/Senior High Schools	26	96	81 - 99
All Schools	288	98	96 - 99
b. Outside on school grounds, including parking lots and playing fields			
High Schools	114	98	95 - 99
Middle Schools	147	97	93 - 99
Junior/Senior High Schools	26	96	81 - 99
All Schools	287	97	95 - 99
c. On school buses or other vehicles used to transport students			
High Schools	115	96	92 - 98
Middle Schools	146	97	93 - 99
Junior/Senior High Schools	26	96	81 - 99
All Schools	287	97	94 - 98
d. At off-campus, school-sponsored events			
High Schools	114	81	73 - 86
Middle Schools	147	83	78 - 87
Junior/Senior High Schools	26	88	72 - 96
All Schools	287	83	78 - 86

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	115	96	91 - 98
Middle Schools	146	98	94 - 99
Junior/Senior High Schools	26	96	81 - 99
All Schools	287	97	94 - 98
b. Outside on school grounds, including parking lots and playing fields			
High Schools	114	97	93 - 99
Middle Schools	146	96	93 - 98
Junior/Senior High Schools	26	92	77 - 98
All Schools	286	96	94 - 98
c. On school buses or other vehicles used to transport students			
High Schools	115	95	90 - 97
Middle Schools	145	96	93 - 98
Junior/Senior High Schools	26	96	81 - 99
All Schools	286	96	93 - 97
d. At off-campus, school-sponsored events			
High Schools	114	63	55 - 70
Middle Schools	147	71	64 - 76
Junior/Senior High Schools	26	81	67 - 90
All Schools	287	69	64 - 73

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent	95% Confidence Interval
High Schools	114	45	38 - 52
Middle Schools	141	54	47 - 61
Junior/Senior High Schools	24	51	34 - 67
All Schools	279	50	45 - 55

*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."
 NA=Not available
 N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	114	99	96 - 100
Middle Schools	145	98	95 - 99
Junior/Senior High Schools	25	92	76 - 98
All Schools	284	98	96 - 99
b. Faculty and staff			
High Schools	114	93	88 - 96
Middle Schools	145	96	92 - 98
Junior/Senior High Schools	25	92	76 - 98
All Schools	284	94	91 - 96
c. Visitors			
High Schools	112	79	72 - 85
Middle Schools	140	79	72 - 84
Junior/Senior High Schools	25	77	58 - 89
All Schools	277	79	74 - 83

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
High Schools	113	96	91 - 98
Middle Schools	145	95	90 - 97
Junior/Senior High Schools	25	92	76 - 98
All Schools	283	95	92 - 97

*Among those schools that have adopted a policy prohibiting tobacco use.
 NA=Not available
 N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	114	47	40 - 54
Middle Schools	144	40	34 - 47
Junior/Senior High Schools	25	37	22 - 55
All Schools	283	43	38 - 47
b. Principal			
High Schools	114	38	31 - 46
Middle Schools	144	48	42 - 54
Junior/Senior High Schools	25	63	45 - 78
All Schools	283	45	41 - 50
c. Assistant principal			
High Schools	114	13	9 - 19
Middle Schools	144	9	6 - 13
Junior/Senior High Schools	25	0	NA
All Schools	283	10	7 - 13
d. Other school administrator			
High Schools	114	1	0 - 4
Middle Schools	144	1	0 - 3
Junior/Senior High Schools	25	0	NA
All Schools	283	1	0 - 2
e. Other school faculty or staff member			
High Schools	114	1	0 - 4
Middle Schools	144	2	1 - 5
Junior/Senior High Schools	25	0	NA
All Schools	283	1	1 - 3

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Zero tolerance			
High Schools	117	75	68 - 81
Middle Schools	150	72	65 - 78
Junior/Senior High Schools	26	77	62 - 88
All Schools	293	74	69 - 78
b. Effect or severity of the violation			
High Schools	117	45	38 - 53
Middle Schools	150	55	48 - 61
Junior/Senior High Schools	26	37	23 - 52
All Schools	293	50	45 - 54
c. Grade level of student			
High Schools	117	12	8 - 17
Middle Schools	150	30	25 - 37
Junior/Senior High Schools	26	26	15 - 41
All Schools	293	23	19 - 27
d. Repeat offender status			
High Schools	117	62	54 - 69
Middle Schools	150	71	65 - 77
Junior/Senior High Schools	26	60	42 - 75
All Schools	293	66	62 - 71
e. None of these			
High Schools	117	3	1 - 6
Middle Schools	150	1	0 - 3
Junior/Senior High Schools	26	8	3 - 23
All Schools	293	2	1 - 4

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	117	0	NA
Middle Schools	147	1	0 - 3
Junior/Senior High Schools	26	0	NA
All Schools	290	0	0 - 2
b. Referred to a school counselor			
High Schools	117	9	6 - 14
Middle Schools	148	1	0 - 4
Junior/Senior High Schools	26	0	NA
All Schools	291	4	3 - 6
c. Referred to a school administrator			
High Schools	117	0	NA
Middle Schools	148	1	0 - 4
Junior/Senior High Schools	26	0	NA
All Schools	291	1	0 - 2
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	117	15	11 - 22
Middle Schools	147	10	7 - 14
Junior/Senior High Schools	26	8	3 - 22
All Schools	290	12	9 - 15
e. Required to participate in an assistance, education, or cessation program			
High Schools	116	38	31 - 46
Middle Schools	147	33	28 - 39
Junior/Senior High Schools	26	12	4 - 28
All Schools	289	33	29 - 38
f. Referred to legal authorities			
High Schools	117	0	NA
Middle Schools	148	3	2 - 5
Junior/Senior High Schools	25	0	NA
All Schools	290	2	1 - 3

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	116	26	20 - 33
Middle Schools	147	22	17 - 28
Junior/Senior High Schools	26	23	14 - 37
All Schools	289	24	20 - 28
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	117	3	1 - 6
Middle Schools	146	3	1 - 7
Junior/Senior High Schools	26	0	NA
All Schools	289	3	1 - 5
i. Given in-school suspension			
High Schools	117	17	12 - 23
Middle Schools	147	15	11 - 20
Junior/Senior High Schools	26	7	2 - 21
All Schools	290	15	12 - 19
j. Suspended from school			
High Schools	117	15	11 - 22
Middle Schools	147	7	4 - 12
Junior/Senior High Schools	24	9	3 - 24
All Schools	288	11	8 - 14
k. Expelled from school			
High Schools	117	80	73 - 86
Middle Schools	147	63	56 - 70
Junior/Senior High Schools	26	54	35 - 72
All Schools	290	69	64 - 74
l. Reassigned to an alternative school			
High Schools	117	89	83 - 93
Middle Schools	147	81	76 - 86
Junior/Senior High Schools	26	85	69 - 93
All Schools	290	85	81 - 88

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	117	0	NA
Middle Schools	147	0	NA
Junior/Senior High Schools	26	0	NA
All Schools	290	0	NA
b. Referred to a school counselor			
High Schools	117	20	14 - 26
Middle Schools	148	8	5 - 13
Junior/Senior High Schools	26	11	4 - 27
All Schools	291	13	10 - 17
c. Referred to a school administrator			
High Schools	117	0	NA
Middle Schools	148	0	NA
Junior/Senior High Schools	26	0	NA
All Schools	291	0	NA
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	117	20	14 - 27
Middle Schools	147	20	15 - 26
Junior/Senior High Schools	26	31	18 - 47
All Schools	290	21	17 - 25
e. Required to participate in an assistance, education, or cessation program			
High Schools	116	30	24 - 37
Middle Schools	147	25	19 - 31
Junior/Senior High Schools	26	25	16 - 37
All Schools	289	27	23 - 31
f. Referred to legal authorities			
High Schools	117	3	1 - 7
Middle Schools	148	7	4 - 11
Junior/Senior High Schools	25	0	NA
All Schools	290	5	3 - 8

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	116	16	11 - 22
Middle Schools	147	14	10 - 20
Junior/Senior High Schools	26	15	6 - 32
All Schools	289	15	12 - 19
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	117	0	NA
Middle Schools	146	3	1 - 6
Junior/Senior High Schools	26	0	NA
All Schools	289	2	1 - 3
i. Given in-school suspension			
High Schools	117	17	12 - 23
Middle Schools	147	10	6 - 15
Junior/Senior High Schools	26	19	9 - 37
All Schools	290	13	11 - 17
j. Suspended from school			
High Schools	117	20	15 - 27
Middle Schools	147	17	13 - 23
Junior/Senior High Schools	24	20	9 - 39
All Schools	288	19	15 - 23
k. Expelled from school			
High Schools	117	18	12 - 25
Middle Schools	147	29	23 - 36
Junior/Senior High Schools	26	34	19 - 52
All Schools	290	25	21 - 30
l. Reassigned to an alternative school			
High Schools	117	11	7 - 17
Middle Schools	147	13	10 - 18
Junior/Senior High Schools	26	15	7 - 31
All Schools	290	13	10 - 16

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	117	6	3 - 11
Middle Schools	147	0	NA
Junior/Senior High Schools	26	0	NA
All Schools	290	2	1 - 4
b. Referred to a school counselor			
High Schools	117	43	36 - 52
Middle Schools	148	36	30 - 42
Junior/Senior High Schools	26	51	33 - 68
All Schools	291	40	36 - 45
c. Referred to a school administrator			
High Schools	117	6	3 - 11
Middle Schools	148	3	2 - 7
Junior/Senior High Schools	26	0	NA
All Schools	291	4	3 - 7
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	117	43	35 - 51
Middle Schools	147	36	30 - 42
Junior/Senior High Schools	26	39	22 - 58
All Schools	290	39	34 - 44
e. Required to participate in an assistance, education, or cessation program			
High Schools	116	26	20 - 32
Middle Schools	147	28	22 - 35
Junior/Senior High Schools	26	43	30 - 57
All Schools	289	28	24 - 33
f. Referred to legal authorities			
High Schools	117	32	26 - 40
Middle Schools	148	32	26 - 39
Junior/Senior High Schools	25	53	38 - 67
All Schools	290	34	30 - 38

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	116	36	29 - 44
Middle Schools	147	30	24 - 36
Junior/Senior High Schools	26	26	15 - 42
All Schools	289	32	28 - 36
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	117	9	6 - 15
Middle Schools	146	20	15 - 27
Junior/Senior High Schools	26	16	7 - 33
All Schools	289	16	12 - 20
i. Given in-school suspension			
High Schools	117	53	45 - 60
Middle Schools	147	46	40 - 53
Junior/Senior High Schools	26	43	28 - 60
All Schools	290	49	44 - 53
j. Suspended from school			
High Schools	117	40	33 - 47
Middle Schools	147	42	36 - 48
Junior/Senior High Schools	24	29	16 - 46
All Schools	288	40	36 - 45
k. Expelled from school			
High Schools	117	2	1 - 5
Middle Schools	147	6	4 - 10
Junior/Senior High Schools	26	12	5 - 27
All Schools	290	5	3 - 7
l. Reassigned to an alternative school			
High Schools	117	0	NA
Middle Schools	147	4	2 - 8
Junior/Senior High Schools	26	0	NA
All Schools	290	2	1 - 4

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	117	94	89 - 97
Middle Schools	147	99	97 - 100
Junior/Senior High Schools	26	100	NA
All Schools	290	97	95 - 99
b. Referred to a school counselor			
High Schools	117	28	21 - 35
Middle Schools	148	54	49 - 60
Junior/Senior High Schools	26	38	23 - 55
All Schools	291	42	38 - 47
c. Referred to a school administrator			
High Schools	117	94	89 - 97
Middle Schools	148	95	92 - 98
Junior/Senior High Schools	26	100	NA
All Schools	291	95	93 - 97
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	117	22	16 - 29
Middle Schools	147	35	29 - 41
Junior/Senior High Schools	26	23	11 - 41
All Schools	290	29	25 - 33
e. Required to participate in an assistance, education, or cessation program			
High Schools	116	6	3 - 11
Middle Schools	147	14	10 - 20
Junior/Senior High Schools	26	20	9 - 37
All Schools	289	12	9 - 15
f. Referred to legal authorities			
High Schools	117	64	56 - 71
Middle Schools	148	58	51 - 64
Junior/Senior High Schools	25	47	33 - 62
All Schools	290	59	55 - 64

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	116	22	17 - 29
Middle Schools	147	34	28 - 41
Junior/Senior High Schools	26	35	24 - 49
All Schools	289	29	25 - 34
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	117	88	82 - 92
Middle Schools	146	74	67 - 79
Junior/Senior High Schools	26	84	67 - 93
All Schools	289	80	76 - 84
i. Given in-school suspension			
High Schools	117	13	9 - 19
Middle Schools	147	29	23 - 36
Junior/Senior High Schools	26	31	18 - 47
All Schools	290	23	19 - 27
j. Suspended from school			
High Schools	117	24	18 - 31
Middle Schools	147	34	28 - 40
Junior/Senior High Schools	24	42	24 - 63
All Schools	288	30	26 - 35
k. Expelled from school			
High Schools	117	0	NA
Middle Schools	147	1	0 - 4
Junior/Senior High Schools	26	0	NA
All Schools	290	1	0 - 2
l. Reassigned to an alternative school			
High Schools	117	0	NA
Middle Schools	147	1	0 - 4
Junior/Senior High Schools	26	0	NA
All Schools	290	1	0 - 2

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent	95% Confidence Interval
High Schools	117	84	78 - 88
Middle Schools	147	83	78 - 87
Junior/Senior High Schools	26	76	61 - 86
All Schools	290	83	79 - 86

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that did the following activities during the past two years.

	N	Percent	95% Confidence Interval
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts			
High Schools	117	50	44 - 57
Middle Schools	149	56	48 - 63
Junior/Senior High Schools	26	58	40 - 75
All Schools	292	54	49 - 59
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use			
High Schools	116	53	46 - 61
Middle Schools	147	61	55 - 68
Junior/Senior High Schools	26	66	48 - 80
All Schools	289	59	54 - 63

NA=Not available
N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	117	20	15 - 27
Middle Schools	148	21	16 - 27
Junior/Senior High Schools	26	19	9 - 37
All Schools	291	21	17 - 25
b. Students			
High Schools	116	36	29 - 43
Middle Schools	148	32	26 - 38
Junior/Senior High Schools	26	14	6 - 30
All Schools	290	32	28 - 36

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	116	44	36 - 52
Middle Schools	148	34	28 - 40
Junior/Senior High Schools	26	27	15 - 44
All Schools	290	37	33 - 42
b. Students			
High Schools	116	33	26 - 39
Middle Schools	148	28	22 - 35
Junior/Senior High Schools	26	22	11 - 40
All Schools	290	30	25 - 34

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	N	Percent	95% Confidence Interval
a. Foods or beverages are not offered at school celebrations			
High Schools	117	1	0 - 4
Middle Schools	149	1	0 - 4
Junior/Senior High Schools	26	4	1 - 17
All Schools	292	1	0 - 3
b. Never			
High Schools	117	1	0 - 4
Middle Schools	149	2	1 - 5
Junior/Senior High Schools	26	0	NA
All Schools	292	1	1 - 3
c. Rarely			
High Schools	117	9	6 - 15
Middle Schools	149	9	6 - 14
Junior/Senior High Schools	26	7	2 - 21
All Schools	292	9	7 - 12
d. Sometimes			
High Schools	117	55	47 - 62
Middle Schools	149	66	59 - 71
Junior/Senior High Schools	26	46	31 - 62
All Schools	292	60	55 - 64
e. Always or almost always			
High Schools	117	34	27 - 41
Middle Schools	149	22	18 - 27
Junior/Senior High Schools	26	43	28 - 60
All Schools	292	29	25 - 33

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	117	93	88 - 96
Middle Schools	149	70	64 - 76
Junior/Senior High Schools	26	92	77 - 98
All Schools	292	81	77 - 84

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
a. Chocolate candy			
High Schools	114	40	33 - 47
Middle Schools	148	16	12 - 22
Junior/Senior High Schools	26	23	13 - 36
All Schools	288	26	22 - 30
b. Other kinds of candy			
High Schools	115	47	40 - 53
Middle Schools	148	20	15 - 27
Junior/Senior High Schools	26	23	13 - 36
All Schools	289	31	27 - 35
c. Salty snacks that are not low in fat, such as regular potato chips			
High Schools	115	45	39 - 52
Middle Schools	146	25	20 - 32
Junior/Senior High Schools	26	34	27 - 42
All Schools	287	34	30 - 38
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat			
High Schools	115	55	48 - 63
Middle Schools	146	26	21 - 33
Junior/Senior High Schools	26	42	30 - 55
All Schools	287	39	35 - 44
e. Ice cream or frozen yogurt that is not low in fat			
High Schools	115	29	23 - 37
Middle Schools	147	20	15 - 27
Junior/Senior High Schools	26	19	10 - 33
All Schools	288	24	20 - 28
f. 2% or whole milk (plain or flavored)			
High Schools	115	69	61 - 76
Middle Schools	147	38	32 - 45
Junior/Senior High Schools	26	65	48 - 79
All Schools	288	53	48 - 58

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
g. Water ices or frozen slushes that do not contain juice			
High Schools	115	21	16 - 28
Middle Schools	147	11	8 - 17
Junior/Senior High Schools	26	8	3 - 23
All Schools	288	15	12 - 19
h. Soda pop or fruit drinks that are not 100% juice			
High Schools	115	57	50 - 64
Middle Schools	147	22	17 - 28
Junior/Senior High Schools	26	38	24 - 53
All Schools	288	37	33 - 41
i. Sports drinks, such as Gatorade			
High Schools	115	89	83 - 93
Middle Schools	147	55	48 - 62
Junior/Senior High Schools	26	88	81 - 93
All Schools	288	71	67 - 75
j. Foods or beverages containing caffeine			
High Schools	115	63	56 - 71
Middle Schools	146	23	18 - 29
Junior/Senior High Schools	26	55	40 - 68
All Schools	287	42	38 - 46
k. Fruits (not fruit juice)			
High Schools	115	47	41 - 54
Middle Schools	147	32	25 - 39
Junior/Senior High Schools	26	47	34 - 62
All Schools	288	39	35 - 44
l. Non-fried vegetables (not vegetable juice)			
High Schools	115	40	33 - 47
Middle Schools	147	19	14 - 25
Junior/Senior High Schools	26	16	7 - 33
All Schools	288	27	23 - 31

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	116	63	56 - 69
Middle Schools	148	36	30 - 43
Junior/Senior High Schools	26	59	42 - 73
All Schools	290	49	44 - 53

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during this school year.

	N	Percent	95% Confidence Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages			
High Schools	117	13	9 - 18
Middle Schools	149	14	10 - 19
Junior/Senior High Schools	26	27	15 - 43
All Schools	292	14	11 - 18
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating			
High Schools	117	68	61 - 75
Middle Schools	148	61	55 - 67
Junior/Senior High Schools	26	65	48 - 79
All Schools	291	64	60 - 68
c. Provided information to students or families on the nutrition and caloric content of foods available			
High Schools	117	60	52 - 67
Middle Schools	149	54	48 - 60
Junior/Senior High Schools	26	53	38 - 66
All Schools	292	56	52 - 61
d. Conducted taste tests to determine food preferences for nutritious items			
High Schools	117	25	19 - 32
Middle Schools	147	21	17 - 26
Junior/Senior High Schools	26	11	5 - 22
All Schools	290	22	18 - 26
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics			
High Schools	117	17	12 - 24
Middle Schools	149	25	20 - 32
Junior/Senior High Schools	26	22	11 - 39
All Schools	292	22	18 - 26

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.

	N	Percent	95% Confidence Interval
High Schools	117	1	0 - 4
Middle Schools	146	1	0 - 4
Junior/Senior High Schools	26	4	1 - 17
All Schools	289	1	1 - 3

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	N	Percent	95% Confidence Interval
a. In the school building			
High Schools	117	61	54 - 68
Middle Schools	148	68	61 - 74
Junior/Senior High Schools	26	53	38 - 68
All Schools	291	64	59 - 69
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus			
High Schools	117	48	40 - 55
Middle Schools	147	56	49 - 63
Junior/Senior High Schools	26	46	31 - 61
All Schools	290	52	47 - 57
c. On school buses or other vehicles used to transport students			
High Schools	116	61	53 - 69
Middle Schools	147	67	60 - 73
Junior/Senior High Schools	26	61	43 - 76
All Schools	289	64	59 - 69
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)			
High Schools	117	56	49 - 64
Middle Schools	145	67	60 - 73
Junior/Senior High Schools	26	54	38 - 69
All Schools	288	61	57 - 66

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have a full-time registered nurse who provides health services to students.

	N	Percent	95% Confidence Interval
High Schools	117	20	15 - 27
Middle Schools	149	14	10 - 19
Junior/Senior High Schools	26	15	8 - 25
All Schools	292	17	13 - 20

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
a. This school does not identify students diagnosed with chronic health conditions such as asthma			
High Schools	117	3	1 - 7
Middle Schools	150	7	4 - 12
Junior/Senior High Schools	26	8	3 - 22
All Schools	293	6	4 - 8
b. Student emergency cards			
High Schools	117	94	89 - 97
Middle Schools	150	86	81 - 90
Junior/Senior High Schools	26	84	67 - 93
All Schools	293	89	86 - 91
c. Medication records			
High Schools	117	84	78 - 88
Middle Schools	150	82	76 - 86
Junior/Senior High Schools	26	72	53 - 85
All Schools	293	82	78 - 85
d. Health room visit information			
High Schools	117	53	45 - 60
Middle Schools	150	55	48 - 61
Junior/Senior High Schools	26	39	23 - 57
All Schools	293	53	48 - 57
e. Emergency care plans			
High Schools	117	74	67 - 80
Middle Schools	150	70	64 - 75
Junior/Senior High Schools	26	68	48 - 82
All Schools	293	71	67 - 75
f. Physical exam records			
High Schools	117	59	51 - 66
Middle Schools	150	52	45 - 58
Junior/Senior High Schools	26	68	52 - 81
All Schools	293	56	51 - 60

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
g. Notes from parents			
High Schools	117	91	86 - 95
Middle Schools	150	85	79 - 89
Junior/Senior High Schools	26	76	57 - 88
All Schools	293	87	83 - 89
h. Other			
High Schools	117	35	28 - 42
Middle Schools	150	37	31 - 43
Junior/Senior High Schools	26	41	25 - 59
All Schools	293	37	32 - 41

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	N	Percent	95% Confidence Interval
a. School has no students with known asthma			
High Schools	115	1	0 - 4
Middle Schools	148	1	0 - 4
Junior/Senior High Schools	26	8	3 - 23
All Schools	289	1	1 - 3
b. All students with known asthma have an asthma action plan on file			
High Schools	115	35	28 - 43
Middle Schools	148	38	32 - 45
Junior/Senior High Schools	26	42	31 - 55
All Schools	289	37	33 - 42
c. Most students with known asthma have an asthma action plan on file			
High Schools	115	29	22 - 36
Middle Schools	148	30	24 - 36
Junior/Senior High Schools	26	22	12 - 37
All Schools	289	29	24 - 33
d. Some students with known asthma have an asthma action plan on file			
High Schools	115	30	24 - 38
Middle Schools	148	22	17 - 28
Junior/Senior High Schools	26	23	12 - 38
All Schools	289	26	22 - 30
e. No students with known asthma have an asthma action plan on file			
High Schools	115	5	3 - 10
Middle Schools	148	9	6 - 14
Junior/Senior High Schools	26	4	1 - 18
All Schools	289	7	5 - 10

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. School does not identify students with poorly controlled asthma			
High Schools	117	28	22 - 35
Middle Schools	150	30	25 - 37
Junior/Senior High Schools	26	32	20 - 47
All Schools	293	30	26 - 34
b. Frequent absences from school			
High Schools	117	32	26 - 40
Middle Schools	150	45	38 - 51
Junior/Senior High Schools	26	22	12 - 37
All Schools	293	38	34 - 43
c. Frequent visits to the school health office due to asthma			
High Schools	117	48	42 - 55
Middle Schools	150	58	52 - 64
Junior/Senior High Schools	26	50	33 - 66
All Schools	293	54	49 - 58
d. Frequent asthma symptoms at school			
High Schools	117	54	48 - 59
Middle Schools	150	61	54 - 67
Junior/Senior High Schools	26	41	24 - 60
All Schools	293	56	52 - 60
e. Frequent non-participation in physical education class due to asthma			
High Schools	117	49	42 - 57
Middle Schools	150	52	46 - 58
Junior/Senior High Schools	26	29	17 - 45
All Schools	293	49	45 - 54
f. Students sent home early due to asthma			
High Schools	117	48	41 - 54
Middle Schools	150	50	44 - 57
Junior/Senior High Schools	26	25	14 - 40
All Schools	293	47	43 - 52

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Calls from school to 911, or other local emergency numbers, due to asthma			
High Schools	117	34	28 - 41
Middle Schools	150	34	28 - 41
Junior/Senior High Schools	26	14	6 - 30
All Schools	293	33	28 - 37

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. Providing referrals to primary healthcare clinicians or child health insurance programs			
High Schools	113	41	33 - 49
Middle Schools	143	50	43 - 57
Junior/Senior High Schools	26	50	34 - 66
All Schools	282	46	41 - 51
b. Ensuring an appropriate written asthma action plan is obtained			
High Schools	112	65	57 - 72
Middle Schools	145	70	64 - 76
Junior/Senior High Schools	26	88	72 - 95
All Schools	283	70	65 - 74
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school			
High Schools	113	80	74 - 85
Middle Schools	147	76	70 - 82
Junior/Senior High Schools	26	73	57 - 84
All Schools	286	78	74 - 81
d. Offering asthma education for the student with asthma and his/her family			
High Schools	114	46	39 - 54
Middle Schools	145	49	43 - 56
Junior/Senior High Schools	26	30	17 - 47
All Schools	285	47	42 - 51
e. Minimizing asthma triggers in the school environment			
High Schools	113	62	54 - 69
Middle Schools	144	75	68 - 80
Junior/Senior High Schools	26	84	68 - 93
All Schools	283	71	66 - 75
f. Addressing social and emotional issues related to asthma			
High Schools	113	51	43 - 59
Middle Schools	145	59	52 - 66
Junior/Senior High Schools	26	42	25 - 61
All Schools	284	55	50 - 60

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Providing additional psychosocial counseling or support services as needed			
High Schools	113	38	30 - 46
Middle Schools	144	40	34 - 47
Junior/Senior High Schools	26	38	23 - 54
All Schools	283	39	34 - 44
h. Ensuring access to safe, enjoyable physical education and activity opportunities			
High Schools	112	91	86 - 94
Middle Schools	146	91	86 - 95
Junior/Senior High Schools	26	92	77 - 97
All Schools	284	91	88 - 94
i. Ensuring access to preventive medications before physical activity			
High Schools	113	88	82 - 92
Middle Schools	145	86	80 - 90
Junior/Senior High Schools	26	84	67 - 93
All Schools	284	86	83 - 89

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.

	N	Percent	95% Confidence Interval
High Schools	117	96	91 - 98
Middle Schools	148	97	94 - 99
Junior/Senior High Schools	26	96	83 - 99
All Schools	291	96	94 - 98

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.

	N	Percent	95% Confidence Interval
High Schools	111	99	95 - 100
Middle Schools	142	99	97 - 100
Junior/Senior High Schools	25	100	NA
All Schools	278	99	98 - 100

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	N	Percent	95% Confidence Interval
a. More than once per year			
High Schools	116	2	1 - 5
Middle Schools	148	5	3 - 9
Junior/Senior High Schools	25	0	NA
All Schools	289	3	2 - 5
b. Once per year			
High Schools	116	31	24 - 38
Middle Schools	148	36	30 - 42
Junior/Senior High Schools	25	36	21 - 55
All Schools	289	34	29 - 38
c. Less than once per year			
High Schools	116	16	11 - 22
Middle Schools	148	16	12 - 22
Junior/Senior High Schools	25	4	1 - 17
All Schools	289	15	12 - 19
d. No such requirement			
High Schools	116	52	45 - 59
Middle Schools	148	43	36 - 50
Junior/Senior High Schools	25	60	43 - 74
All Schools	289	48	43 - 53

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

	N	Percent	95% Confidence Interval
High Schools	117	72	66 - 78
Middle Schools	146	72	66 - 78
Junior/Senior High Schools	26	68	51 - 81
All Schools	289	72	68 - 76

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	83	92	85 - 95
Middle Schools	106	94	89 - 97
Junior/Senior High Schools	18	72	49 - 88
All Schools	207	91	88 - 94
b. Parents/families			
High Schools	83	90	83 - 95
Middle Schools	106	95	90 - 97
Junior/Senior High Schools	18	72	49 - 88
All Schools	207	91	87 - 94

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	84	24	17 - 32
Middle Schools	105	27	21 - 34
Junior/Senior High Schools	18	23	10 - 44
All Schools	207	25	21 - 30
b. Principal			
High Schools	84	19	14 - 26
Middle Schools	105	17	11 - 24
Junior/Senior High Schools	18	28	13 - 49
All Schools	207	19	15 - 23
c. Assistant principal			
High Schools	84	2	1 - 7
Middle Schools	105	0	NA
Junior/Senior High Schools	18	0	NA
All Schools	207	1	0 - 3
d. School nurse			
High Schools	84	49	40 - 57
Middle Schools	105	48	41 - 56
Junior/Senior High Schools	18	49	31 - 68
All Schools	207	49	43 - 54
e. Other school faculty or staff member			
High Schools	84	6	3 - 12
Middle Schools	105	8	5 - 14
Junior/Senior High Schools	18	0	NA
All Schools	207	7	4 - 10

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	116	17	13 - 23
Middle Schools	146	16	12 - 21
Junior/Senior High Schools	26	11	4 - 27
All Schools	288	16	13 - 20
b. Tobacco-use prevention			
High Schools	116	24	19 - 30
Middle Schools	146	24	19 - 31
Junior/Senior High Schools	26	37	22 - 55
All Schools	288	25	21 - 30
c. Physical activity			
High Schools	116	38	31 - 46
Middle Schools	147	40	34 - 46
Junior/Senior High Schools	26	41	27 - 56
All Schools	289	39	35 - 44
d. Nutrition and healthy eating			
High Schools	116	74	67 - 80
Middle Schools	147	61	54 - 67
Junior/Senior High Schools	26	77	60 - 88
All Schools	289	67	63 - 71
e. Asthma			
High Schools	116	10	7 - 15
Middle Schools	146	8	5 - 13
Junior/Senior High Schools	26	4	1 - 17
All Schools	288	9	7 - 12

NA=Not available

N=Unweighted number of observations

**Wisconsin
2008 School Health Profiles Report
Weighted Principal Survey Results**

50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	116	21	17 - 27
Middle Schools	145	19	14 - 25
Junior/Senior High Schools	26	19	10 - 32
All Schools	287	20	17 - 24
b. Tobacco-use prevention			
High Schools	116	30	25 - 36
Middle Schools	145	32	26 - 38
Junior/Senior High Schools	26	38	22 - 56
All Schools	287	32	28 - 36
c. Physical activity			
High Schools	115	42	34 - 49
Middle Schools	146	42	36 - 49
Junior/Senior High Schools	26	41	27 - 56
All Schools	287	42	37 - 47
d. Nutrition and healthy eating			
High Schools	116	77	70 - 83
Middle Schools	147	63	56 - 69
Junior/Senior High Schools	26	73	56 - 85
All Schools	289	70	65 - 74
e. Asthma			
High Schools	116	8	5 - 12
Middle Schools	146	14	10 - 20
Junior/Senior High Schools	26	8	2 - 22
All Schools	288	11	8 - 14

NA=Not available

N=Unweighted number of observations