

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**1. Percentage of schools that require health education for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	116	99	96 - 100
Middle Schools	145	94	90 - 97
Junior/Senior High Schools	26	100	NA
<b>All schools</b>	<b>287</b>	<b>97</b>	<b>94 - 98</b>

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**2. Percentage of all schools that require students to take the following number of required health education courses.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. 0 courses</b>			
High Schools	112	1	0 - 4
Middle Schools	143	7	4 - 11
Junior/Senior High Schools	24	0	NA
<b>All schools</b>	<b>279</b>	<b>4</b>	<b>2 - 6</b>
<b>b. 1 course</b>			
High Schools	112	35	27 - 43
Middle Schools	143	21	16 - 27
Junior/Senior High Schools	24	42	29 - 56
<b>All schools</b>	<b>279</b>	<b>28</b>	<b>24 - 33</b>
<b>c. 2 courses</b>			
High Schools	112	37	29 - 45
Middle Schools	143	37	30 - 43
Junior/Senior High Schools	24	16	9 - 27
<b>All schools</b>	<b>279</b>	<b>35</b>	<b>30 - 40</b>
<b>d. 3 courses</b>			
High Schools	112	19	15 - 26
Middle Schools	143	25	19 - 31
Junior/Senior High Schools	24	33	21 - 49
<b>All schools</b>	<b>279</b>	<b>23</b>	<b>20 - 28</b>
<b>e. 4 or more courses</b>			
High Schools	112	8	5 - 14
Middle Schools	143	11	8 - 16
Junior/Senior High Schools	24	8	3 - 24
<b>All schools</b>	<b>279</b>	<b>10</b>	<b>7 - 13</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**2N. Percentage of all schools that require students to take two or more health education courses.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	112	64	56 - 72
Middle Schools	143	72	66 - 78
Junior/Senior High Schools	24	58	44 - 71
<b>All schools</b>	<b>279</b>	<b>68</b>	<b>63 - 72</b>

\*Response to question 2 is c, d, or e.  
NA=Not available  
N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**3. Percentage of all schools that taught a required health education course in each of the following grades.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Sixth grade</b>			
High Schools	NA	NA	NA
Middle Schools	113	60	52 - 67
Junior/Senior High Schools	19	47	32 - 63
<b>All schools</b>	<b>132</b>	<b>58</b>	<b>51 - 64</b>
<b>b. Seventh grade</b>			
High Schools	NA	NA	NA
Middle Schools	130	72	65 - 77
Junior/Senior High Schools	20	55	36 - 73
<b>All schools</b>	<b>150</b>	<b>69</b>	<b>63 - 75</b>
<b>c. Eighth grade</b>			
High Schools	NA	NA	NA
Middle Schools	125	65	58 - 71
Junior/Senior High Schools	19	53	36 - 69
<b>All schools</b>	<b>144</b>	<b>63</b>	<b>57 - 69</b>
<b>d. Ninth grade</b>			
High Schools	101	66	58 - 74
Middle Schools	64	47	38 - 57
Junior/Senior High Schools	22	45	28 - 64
<b>All schools</b>	<b>187</b>	<b>57</b>	<b>51 - 63</b>
<b>e. Tenth grade</b>			
High Schools	90	41	32 - 51
Middle Schools	NA	NA	NA
Junior/Senior High Schools	23	44	27 - 61
<b>All schools</b>	<b>113</b>	<b>42</b>	<b>34 - 50</b>
<b>f. Eleventh grade</b>			
High Schools	85	9	5 - 16
Middle Schools	NA	NA	NA
Junior/Senior High Schools	20	15	6 - 34
<b>All schools</b>	<b>105</b>	<b>10</b>	<b>6 - 17</b>
<b>g. Twelfth grade</b>			
High Schools	84	4	1 - 9
Middle Schools	NA	NA	NA
Junior/Senior High Schools	20	5	1 - 23
<b>All schools</b>	<b>104</b>	<b>4</b>	<b>2 - 8</b>

\*Among schools with students in that grade.  
NA=Not available  
N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**4. Percentage of schools that require students who fail a required health education course to repeat it.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	111	97	93 - 99
Middle Schools	133	50	44 - 57
Junior/Senior High Schools	24	96	80 - 99
<b>All schools</b>	<b>268</b>	<b>73</b>	<b>69 - 76</b>

\*Among those schools that require health education for students and students take one or more required health education courses in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**5. Percentage of schools in which those who teach health education are provided with the following materials.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Goals, objectives, and expected outcomes for health education</b>			
High Schools	115	85	78 - 90
Middle Schools	143	85	80 - 90
Junior/Senior High Schools	26	88	72 - 96
<b>All schools</b>	<b>284</b>	<b>86</b>	<b>82 - 89</b>
<b>b. A chart describing the annual scope and sequence of instruction for health education</b>			
High Schools	115	66	58 - 73
Middle Schools	143	73	66 - 79
Junior/Senior High Schools	26	61	46 - 74
<b>All schools</b>	<b>284</b>	<b>69</b>	<b>64 - 74</b>
<b>c. Plans for how to assess student performance in health education</b>			
High Schools	115	65	58 - 72
Middle Schools	143	71	64 - 77
Junior/Senior High Schools	26	73	57 - 85
<b>All schools</b>	<b>284</b>	<b>69</b>	<b>64 - 73</b>
<b>d. A written health education curriculum</b>			
High Schools	115	80	73 - 85
Middle Schools	143	82	77 - 87
Junior/Senior High Schools	26	92	77 - 98
<b>All schools</b>	<b>284</b>	<b>82</b>	<b>78 - 86</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**6. Percentage of schools in which the health education curriculum addresses each of the following skills.**

	N	Percent	95% Confidence Interval
<b>a. Comprehending concepts related to health promotion and disease prevention to enhance health</b>			
High Schools	114	99	96 - 100
Middle Schools	140	99	96 - 100
Junior/Senior High Schools	26	100	NA
<b>All schools</b>	<b>280</b>	<b>99</b>	<b>97 - 100</b>
<b>b. Analyzing the influence of family, peers, culture, media, technology, and other factors on health behaviors</b>			
High Schools	114	99	96 - 100
Middle Schools	141	98	95 - 99
Junior/Senior High Schools	26	100	NA
<b>All schools</b>	<b>281</b>	<b>99</b>	<b>97 - 99</b>
<b>c. Accessing valid information and products and services to enhance health</b>			
High Schools	113	98	94 - 99
Middle Schools	141	88	83 - 92
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>280</b>	<b>93</b>	<b>90 - 95</b>
<b>d. Using interpersonal communication skills to enhance health and avoid or reduce health risks</b>			
High Schools	114	100	NA
Middle Schools	141	98	95 - 99
Junior/Senior High Schools	26	100	NA
<b>All schools</b>	<b>281</b>	<b>99</b>	<b>97 - 100</b>
<b>e. Using decision-making skills to enhance health</b>			
High Schools	114	100	NA
Middle Schools	141	99	96 - 100
Junior/Senior High Schools	26	100	NA
<b>All schools</b>	<b>281</b>	<b>100</b>	<b>98 - 100</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**6. Percentage of schools in which the health education curriculum addresses each of the following skills.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>f. Using goal-setting skills to enhance health</b>			
High Schools	114	95	90 - 97
Middle Schools	140	95	91 - 97
Junior/Senior High Schools	25	92	76 - 98
<b>All schools</b>	<b>279</b>	<b>95</b>	<b>92 - 96</b>
<b>g. Practicing health-enhancing behaviors to avoid or reduce risks</b>			
High Schools	113	98	94 - 99
Middle Schools	141	99	97 - 100
Junior/Senior High Schools	26	96	83 - 99
<b>All schools</b>	<b>280</b>	<b>99</b>	<b>97 - 99</b>
<b>h. Advocating for personal, family, and community health</b>			
High Schools	114	96	92 - 98
Middle Schools	138	93	88 - 96
Junior/Senior High Schools	26	92	78 - 98
<b>All schools</b>	<b>278</b>	<b>94</b>	<b>91 - 96</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**7. Percentage of schools in which teachers tried to increase student knowledge on each of the following topics in a required course in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Alcohol- or other drug-use prevention</b>			
High Schools	116	97	93 - 99
Middle Schools	145	96	92 - 98
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>287</b>	<b>96</b>	<b>94 - 98</b>
<b>b. Asthma awareness</b>			
High Schools	115	45	38 - 52
Middle Schools	144	45	39 - 52
Junior/Senior High Schools	26	46	32 - 61
<b>All schools</b>	<b>285</b>	<b>45</b>	<b>41 - 50</b>
<b>c. Emotional and mental health</b>			
High Schools	116	99	96 - 100
Middle Schools	145	95	91 - 97
Junior/Senior High Schools	26	100	NA
<b>All schools</b>	<b>287</b>	<b>97</b>	<b>95 - 98</b>
<b>d. Foodborne illness prevention</b>			
High Schools	116	73	66 - 80
Middle Schools	144	71	64 - 77
Junior/Senior High Schools	26	84	73 - 92
<b>All schools</b>	<b>286</b>	<b>73</b>	<b>68 - 77</b>
<b>e. HIV (human immunodeficiency virus) prevention</b>			
High Schools	116	98	95 - 99
Middle Schools	145	95	92 - 97
Junior/Senior High Schools	26	96	83 - 99
<b>All schools</b>	<b>287</b>	<b>96</b>	<b>94 - 98</b>
<b>f. Human sexuality</b>			
High Schools	116	97	94 - 99
Middle Schools	145	90	86 - 94
Junior/Senior High Schools	26	96	83 - 99
<b>All schools</b>	<b>287</b>	<b>94</b>	<b>91 - 96</b>
<b>g. Injury prevention and safety</b>			
High Schools	116	93	89 - 96
Middle Schools	144	88	83 - 92
Junior/Senior High Schools	26	96	83 - 99
<b>All schools</b>	<b>286</b>	<b>91</b>	<b>88 - 93</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**7. Percentage of schools in which teachers tried to increase student knowledge on each of the following topics in a required course in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>h. Nutrition and dietary behavior</b>			
High Schools	110	100	NA
Middle Schools	140	97	93 - 98
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>276</b>	<b>98</b>	<b>96 - 99</b>
<b>i. Physical activity and fitness</b>			
High Schools	115	100	NA
Middle Schools	141	99	96 - 100
Junior/Senior High Schools	25	100	NA
<b>All schools</b>	<b>281</b>	<b>100</b>	<b>98 - 100</b>
<b>j. Pregnancy prevention</b>			
High Schools	115	97	92 - 98
Middle Schools	145	81	75 - 85
Junior/Senior High Schools	26	96	83 - 99
<b>All schools</b>	<b>286</b>	<b>88</b>	<b>85 - 91</b>
<b>k. STD (sexually transmitted disease) prevention</b>			
High Schools	116	97	94 - 99
Middle Schools	145	90	86 - 93
Junior/Senior High Schools	26	96	83 - 99
<b>All schools</b>	<b>287</b>	<b>94</b>	<b>91 - 95</b>
<b>l. Suicide prevention</b>			
High Schools	116	97	94 - 99
Middle Schools	145	79	73 - 84
Junior/Senior High Schools	26	89	73 - 96
<b>All schools</b>	<b>287</b>	<b>87</b>	<b>83 - 90</b>
<b>m. Tobacco-use prevention</b>			
High Schools	116	97	94 - 99
Middle Schools	143	96	92 - 98
Junior/Senior High Schools	25	100	NA
<b>All schools</b>	<b>284</b>	<b>97</b>	<b>94 - 98</b>
<b>n. Violence prevention</b>			
High Schools	116	91	86 - 95
Middle Schools	145	91	86 - 94
Junior/Senior High Schools	26	88	81 - 93
<b>All schools</b>	<b>287</b>	<b>91</b>	<b>88 - 93</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**8. Percentage of schools in which teachers taught each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12.**

	N	Percent	95% Confidence Interval
<b>a. Identifying tobacco products and the harmful substances they contain</b>			
High Schools	116	96	91 - 98
Middle Schools	144	92	88 - 95
Junior/Senior High Schools	25	100	NA
<b>All schools</b>	<b>285</b>	<b>94</b>	<b>91 - 96</b>
<b>b. Identifying short and long-term health consequences of tobacco use</b>			
High Schools	116	97	92 - 98
Middle Schools	144	93	89 - 96
Junior/Senior High Schools	25	100	NA
<b>All schools</b>	<b>285</b>	<b>95</b>	<b>92 - 97</b>
<b>c. Identifying legal, social, economic, and cosmetic consequences of tobacco use</b>			
High Schools	116	94	89 - 97
Middle Schools	143	89	84 - 93
Junior/Senior High Schools	25	96	82 - 99
<b>All schools</b>	<b>284</b>	<b>92</b>	<b>88 - 94</b>
<b>d. Understanding the addictive nature of nicotine</b>			
High Schools	115	95	90 - 97
Middle Schools	143	93	88 - 96
Junior/Senior High Schools	25	100	NA
<b>All schools</b>	<b>283</b>	<b>94</b>	<b>91 - 96</b>
<b>e. Effects of tobacco use on athletic performance</b>			
High Schools	116	85	79 - 90
Middle Schools	143	88	83 - 92
Junior/Senior High Schools	25	84	67 - 93
<b>All schools</b>	<b>284</b>	<b>87</b>	<b>83 - 90</b>
<b>f. Effects of second-hand smoke and benefits of a smoke-free environment</b>			
High Schools	116	97	92 - 98
Middle Schools	143	92	87 - 95
Junior/Senior High Schools	25	96	82 - 99
<b>All schools</b>	<b>284</b>	<b>94</b>	<b>91 - 96</b>

\*Responses to question 8 a through o all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**8. Percentage of schools in which teachers taught each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12.**

	N	Percent	95% Confidence Interval
<b>g. Understanding the social influences on tobacco use, including media, family, peers, and culture</b>			
High Schools	115	93	88 - 96
Middle Schools	143	91	86 - 95
Junior/Senior High Schools	25	96	82 - 99
<b>All schools</b>	<b>283</b>	<b>92</b>	<b>89 - 95</b>
<b>h. Identifying reasons why students do and do not use tobacco</b>			
High Schools	116	96	91 - 98
Middle Schools	143	92	87 - 95
Junior/Senior High Schools	25	88	72 - 95
<b>All schools</b>	<b>284</b>	<b>93</b>	<b>90 - 95</b>
<b>i. Making accurate assessments of how many peers use tobacco</b>			
High Schools	116	69	61 - 76
Middle Schools	143	65	59 - 71
Junior/Senior High Schools	24	67	52 - 79
<b>All schools</b>	<b>283</b>	<b>67</b>	<b>62 - 71</b>
<b>j. Using interpersonal communication skills to avoid tobacco use</b>			
High Schools	115	88	81 - 92
Middle Schools	143	89	85 - 93
Junior/Senior High Schools	25	88	72 - 95
<b>All schools</b>	<b>283</b>	<b>89</b>	<b>85 - 91</b>
<b>k. Using goal-setting and decision-making skills related to not using tobacco</b>			
High Schools	116	86	80 - 91
Middle Schools	144	85	79 - 89
Junior/Senior High Schools	25	88	72 - 95
<b>All schools</b>	<b>285</b>	<b>86</b>	<b>82 - 89</b>
<b>l. Finding valid information and services related to tobacco-use prevention and cessation</b>			
High Schools	116	82	75 - 87
Middle Schools	144	73	66 - 78
Junior/Senior High Schools	25	88	72 - 95
<b>All schools</b>	<b>285</b>	<b>78</b>	<b>73 - 81</b>

\*Responses to question 8 a through o all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**8. Percentage of schools in which teachers taught each of the following tobacco-use prevention topics in a required course for students in any of grades 6 through 12.**

	N	Percent	95% Confidence Interval
<b>m. Supporting others who abstain from or want to quit using tobacco</b>			
High Schools	116	86	80 - 91
Middle Schools	143	72	65 - 78
Junior/Senior High Schools	26	77	58 - 89
<b>All schools</b>	<b>285</b>	<b>78</b>	<b>74 - 82</b>
<b>n. Supporting school and community action to support a tobacco-free environment</b>			
High Schools	116	75	67 - 81
Middle Schools	143	73	66 - 79
Junior/Senior High Schools	26	69	52 - 82
<b>All schools</b>	<b>285</b>	<b>73</b>	<b>69 - 78</b>
<b>o. Identifying harmful effects of tobacco use on fetal development</b>			
High Schools	116	93	88 - 96
Middle Schools	144	80	74 - 85
Junior/Senior High Schools	25	84	68 - 93
<b>All schools</b>	<b>285</b>	<b>86</b>	<b>82 - 89</b>
<b>All 15 tobacco-use prevention topics*</b>			
High Schools	115	49	42 - 57
Middle Schools	144	48	42 - 54
Junior/Senior High Schools	26	46	31 - 62
<b>All schools</b>	<b>285</b>	<b>48</b>	<b>44 - 53</b>

\*Responses to question 8 a through o all are "yes."  
NA=Not available  
N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**9. Percentage of schools in which teachers taught each of the following HIV, STD, or pregnancy prevention topics in a required course in any of grades 6, 7, or 8.**

	N	Percent	95% Confidence Interval
<b>a. The differences between HIV and AIDS</b>			
High Schools	NA	NA	NA
Middle Schools	138	88	82 - 92
Junior/Senior High Schools	23	83	65 - 93
<b>All schools</b>	<b>161</b>	<b>87</b>	<b>82 - 91</b>
<b>b. How HIV and other STDs are transmitted</b>			
High Schools	NA	NA	NA
Middle Schools	138	89	84 - 93
Junior/Senior High Schools	23	87	70 - 95
<b>All schools</b>	<b>161</b>	<b>89</b>	<b>84 - 92</b>
<b>c. How HIV and other STDs are diagnosed and treated</b>			
High Schools	NA	NA	NA
Middle Schools	138	78	72 - 84
Junior/Senior High Schools	23	78	60 - 90
<b>All schools</b>	<b>161</b>	<b>78</b>	<b>72 - 83</b>
<b>d. Health consequences of HIV, other STDs, and pregnancy</b>			
High Schools	NA	NA	NA
Middle Schools	137	90	85 - 93
Junior/Senior High Schools	23	83	65 - 93
<b>All schools</b>	<b>160</b>	<b>89</b>	<b>84 - 92</b>
<b>e. The benefits of being sexually abstinent</b>			
High Schools	NA	NA	NA
Middle Schools	138	88	82 - 91
Junior/Senior High Schools	23	96	82 - 99
<b>All schools</b>	<b>161</b>	<b>89</b>	<b>84 - 92</b>
<b>f. How to prevent HIV, other STDs, and pregnancy</b>			
High Schools	NA	NA	NA
Middle Schools	136	87	82 - 91
Junior/Senior High Schools	23	83	65 - 93
<b>All schools</b>	<b>159</b>	<b>87</b>	<b>82 - 91</b>

\*Responses to question 9 a through k all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**9. Percentage of schools in which teachers taught each of the following HIV, STD, or pregnancy prevention topics in a required course in any of grades 6, 7, or 8.**

	N	Percent	95% Confidence Interval
<b>g. How to access valid and reliable health information, products, and services related to HIV, other STDs, and pregnancy</b>			
High Schools	NA	NA	NA
Middle Schools	136	71	63 - 77
Junior/Senior High Schools	24	79	62 - 90
<b>All schools</b>	<b>160</b>	<b>72</b>	<b>65 - 78</b>
<b>h. The influences of media, family, and social and cultural norms on sexual behavior</b>			
High Schools	NA	NA	NA
Middle Schools	138	79	73 - 84
Junior/Senior High Schools	23	78	59 - 90
<b>All schools</b>	<b>161</b>	<b>79</b>	<b>73 - 83</b>
<b>i. Communication and negotiation skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy</b>			
High Schools	NA	NA	NA
Middle Schools	137	78	72 - 83
Junior/Senior High Schools	23	83	65 - 93
<b>All schools</b>	<b>160</b>	<b>79</b>	<b>73 - 83</b>
<b>j. Goal-setting and decision-making skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy</b>			
High Schools	NA	NA	NA
Middle Schools	138	76	70 - 81
Junior/Senior High Schools	23	83	65 - 93
<b>All schools</b>	<b>161</b>	<b>77</b>	<b>71 - 82</b>
<b>k. Compassion for persons living with HIV or AIDS</b>			
High Schools	NA	NA	NA
Middle Schools	134	58	51 - 65
Junior/Senior High Schools	22	77	58 - 90
<b>All schools</b>	<b>156</b>	<b>60</b>	<b>54 - 67</b>

\*Responses to question 9 a through k all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**9. Percentage of schools in which teachers taught each of the following HIV, STD, or pregnancy prevention topics in a required course in any of grades 6, 7, or 8.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>All 11 HIV, STD, and pregnancy prevention topics*</b>			
High Schools	NA	NA	NA
Middle Schools	135	41	34 - 48
Junior/Senior High Schools	23	65	45 - 81
<b>All schools</b>	<b>158</b>	<b>44</b>	<b>38 - 51</b>

\*Responses to question 9 a through k all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**10. Percentage of schools in which teachers taught each of the following HIV, STD, or pregnancy prevention topics in a required course in any of grades 9, 10, 11, or 12.**

	N	Percent	95% Confidence Interval
<b>a. The relationship among HIV, other STDs, and pregnancy</b>			
High Schools	110	95	90 - 97
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	92	77 - 98
<b>All schools</b>	<b>138</b>	<b>94</b>	<b>90 - 97</b>
<b>b. The relationship between alcohol and other drug use and risk for HIV, other STDs, and pregnancy</b>			
High Schools	111	97	93 - 99
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	92	77 - 98
<b>All schools</b>	<b>139</b>	<b>96</b>	<b>93 - 98</b>
<b>c. The benefits of being sexually abstinent</b>			
High Schools	111	98	95 - 99
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	92	77 - 98
<b>All schools</b>	<b>139</b>	<b>97</b>	<b>94 - 99</b>
<b>d. How to prevent HIV, other STDs, and pregnancy</b>			
High Schools	111	97	93 - 99
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	92	77 - 98
<b>All schools</b>	<b>139</b>	<b>96</b>	<b>93 - 98</b>
<b>e. How to access valid and reliable health information, products, and services related to HIV, other STDs, and pregnancy</b>			
High Schools	111	94	89 - 97
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	92	77 - 98
<b>All schools</b>	<b>139</b>	<b>94</b>	<b>89 - 96</b>

\*Responses to question 10 a through k all are "yes."  
NA=Not available  
N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**10. Percentage of schools in which teachers taught each of the following HIV, STD, or pregnancy prevention topics in a required course in any of grades 9, 10, 11, or 12.**

	N	Percent	95% Confidence Interval
<b>f. The influences of media, family, and social and cultural norms on sexual behavior</b>			
High Schools	110	98	95 - 99
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	92	77 - 98
<b>All schools</b>	<b>138</b>	<b>97</b>	<b>94 - 99</b>
<b>g. Communication and negotiation skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy</b>			
High Schools	111	94	89 - 97
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	88	72 - 96
<b>All schools</b>	<b>139</b>	<b>93</b>	<b>88 - 96</b>
<b>h. Goal-setting and decision-making skills related to eliminating or reducing risk for HIV, other STDs, and pregnancy</b>			
High Schools	110	94	89 - 97
Middle Schools	NA	NA	NA
Junior/Senior High Schools	24	88	71 - 95
<b>All schools</b>	<b>137</b>	<b>93</b>	<b>88 - 96</b>
<b>i. Efficacy of condoms, that is, how well condoms work and do not work</b>			
High Schools	111	86	80 - 90
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	84	67 - 93
<b>All schools</b>	<b>139</b>	<b>86</b>	<b>80 - 90</b>
<b>j. The importance of using condoms consistently and correctly</b>			
High Schools	111	78	72 - 84
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	76	60 - 87
<b>All schools</b>	<b>139</b>	<b>78</b>	<b>73 - 83</b>
<b>k. How to obtain condoms</b>			
High Schools	109	67	59 - 74
Middle Schools	NA	NA	NA
Junior/Senior High Schools	25	64	46 - 78
<b>All schools</b>	<b>137</b>	<b>67</b>	<b>60 - 74</b>

\*Responses to question 10 a through k all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**10. Percentage of schools in which teachers taught each of the following HIV, STD, or pregnancy prevention topics in a required course in any of grades 9, 10, 11, or 12.**

	N	Percent	95% Confidence Interval
<b>All 11 HIV, STD, and pregnancy prevention topics*</b>			
High Schools	107	60	52 - 67
Middle Schools	NA	NA	NA
Junior/Senior High Schools	24	58	39 - 75
<b>All schools</b>	<b>134</b>	<b>61</b>	<b>53 - 67</b>

\*Responses to question 10 a through k all are "yes."  
NA=Not available  
N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**11. Percentage of schools in which teachers taught each of the following nutrition and dietary behavior topics in a required course for students in any of grades 6 through 12.**

	N	Percent	95% Confidence Interval
<b>a. Benefits of healthy eating</b>			
High Schools	111	98	94 - 99
Middle Schools	140	97	94 - 99
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>277</b>	<b>98</b>	<b>95 - 99</b>
<b>b. Food guidance using MyPyramid</b>			
High Schools	112	90	85 - 94
Middle Schools	142	94	89 - 96
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>280</b>	<b>93</b>	<b>90 - 95</b>
<b>c. Using food labels</b>			
High Schools	112	93	87 - 96
Middle Schools	140	91	86 - 94
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>278</b>	<b>92</b>	<b>89 - 94</b>
<b>d. Balancing food intake and physical activity</b>			
High Schools	110	98	94 - 99
Middle Schools	140	95	91 - 97
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>276</b>	<b>96</b>	<b>94 - 98</b>
<b>e. Eating more fruits, vegetables, and whole grain products</b>			
High Schools	113	96	92 - 98
Middle Schools	142	95	91 - 97
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>281</b>	<b>96</b>	<b>93 - 97</b>
<b>f. Choosing foods that are low in fat, saturated fat, and cholesterol</b>			
High Schools	113	94	89 - 97
Middle Schools	142	93	89 - 96
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>281</b>	<b>94</b>	<b>91 - 96</b>

\*Responses to question 11 a through n all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**11. Percentage of schools in which teachers taught each of the following nutrition and dietary behavior topics in a required course for students in any of grades 6 through 12.**

	N	Percent	95% Confidence Interval
<b>g. Using sugars in moderation</b>			
High Schools	112	96	91 - 98
Middle Schools	142	94	90 - 97
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>280</b>	<b>95</b>	<b>92 - 97</b>
<b>h. Using salt and sodium in moderation</b>			
High Schools	113	95	90 - 97
Middle Schools	141	91	86 - 94
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>280</b>	<b>93</b>	<b>90 - 95</b>
<b>i. Eating more calcium-rich foods</b>			
High Schools	113	92	86 - 95
Middle Schools	142	91	86 - 94
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>281</b>	<b>92</b>	<b>88 - 94</b>
<b>j. Food safety</b>			
High Schools	113	80	73 - 85
Middle Schools	142	80	73 - 85
Junior/Senior High Schools	26	89	73 - 96
<b>All schools</b>	<b>281</b>	<b>80</b>	<b>76 - 84</b>
<b>k. Preparing healthy meals and snacks</b>			
High Schools	113	85	78 - 90
Middle Schools	141	90	85 - 93
Junior/Senior High Schools	26	96	82 - 99
<b>All schools</b>	<b>280</b>	<b>88</b>	<b>85 - 91</b>
<b>l. Risks of unhealthy weight control practices</b>			
High Schools	110	98	94 - 99
Middle Schools	141	94	89 - 96
Junior/Senior High Schools	26	92	78 - 98
<b>All schools</b>	<b>277</b>	<b>95</b>	<b>93 - 97</b>
<b>m. Accepting body size differences</b>			
High Schools	112	94	89 - 97
Middle Schools	140	87	82 - 91
Junior/Senior High Schools	26	88	73 - 96
<b>All schools</b>	<b>278</b>	<b>90</b>	<b>87 - 92</b>

\*Responses to question 11 a through n all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**11. Percentage of schools in which teachers taught each of the following nutrition and dietary behavior topics in a required course for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>n. Signs, symptoms, and treatment for eating disorders</b>			
High Schools	112	96	92 - 98
Middle Schools	140	89	83 - 92
Junior/Senior High Schools	26	92	78 - 98
<b>All schools</b>	<b>278</b>	<b>92</b>	<b>89 - 94</b>
<b>All 14 nutrition and dietary behavior topics*</b>			
High Schools	115	66	58 - 73
Middle Schools	139	64	57 - 71
Junior/Senior High Schools	26	85	69 - 93
<b>All schools</b>	<b>280</b>	<b>67</b>	<b>62 - 71</b>

\*Responses to question 11 a through n all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**12. Percentage of schools in which teachers taught each of the following physical activity topics in a required health education course for students in any of grades 6 through 12.**

	N	Percent	95% Confidence Interval
<b>a. Physical, psychological, or social benefits of physical activity</b>			
High Schools	115	98	95 - 99
Middle Schools	140	98	94 - 99
Junior/Senior High Schools	25	100	NA
<b>All schools</b>	<b>280</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Health-related fitness (i.e., cardiorespiratory endurance, muscular endurance, muscular strength, flexibility, and body composition)</b>			
High Schools	115	97	96 - 99
Middle Schools	140	94	90 - 97
Junior/Senior High Schools	25	96	81 - 99
<b>All schools</b>	<b>280</b>	<b>96</b>	<b>93 - 97</b>
<b>c. Phases of a workout (i.e., warm-up, workout, and cool down)</b>			
High Schools	114	94	90 - 96
Middle Schools	140	92	87 - 95
Junior/Senior High Schools	25	92	78 - 97
<b>All schools</b>	<b>279</b>	<b>93</b>	<b>90 - 95</b>
<b>d. How much physical activity is enough (i.e., determining frequency, intensity, time, and type of physical activity)</b>			
High Schools	115	95	90 - 97
Middle Schools	140	93	88 - 96
Junior/Senior High Schools	25	96	83 - 99
<b>All schools</b>	<b>280</b>	<b>94</b>	<b>91 - 96</b>
<b>e. Developing an individualized physical activity plan</b>			
High Schools	115	82	75 - 87
Middle Schools	140	72	65 - 77
Junior/Senior High Schools	25	80	66 - 89
<b>All schools</b>	<b>280</b>	<b>76</b>	<b>72 - 80</b>

\*Responses to question 12 a through l all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**12. Percentage of schools in which teachers taught each of the following physical activity topics in a required health education course for students in any of grades 6 through 12.**

	N	Percent	95% Confidence Interval
<b>f. Monitoring progress toward reaching goals in an individualized physical activity plan</b>			
High Schools	115	77	70 - 83
Middle Schools	140	70	63 - 76
Junior/Senior High Schools	25	80	61 - 91
<b>All schools</b>	<b>280</b>	<b>74</b>	<b>69 - 78</b>
<b>g. Overcoming barriers to physical activity</b>			
High Schools	115	86	79 - 91
Middle Schools	140	77	70 - 82
Junior/Senior High Schools	25	76	57 - 89
<b>All schools</b>	<b>280</b>	<b>80</b>	<b>76 - 84</b>
<b>h. Decreasing sedentary activities such as television viewing</b>			
High Schools	114	96	92 - 98
Middle Schools	140	92	87 - 95
Junior/Senior High Schools	25	96	81 - 99
<b>All schools</b>	<b>279</b>	<b>94</b>	<b>91 - 96</b>
<b>i. Opportunities for physical activity in the community</b>			
High Schools	114	85	78 - 90
Middle Schools	140	79	73 - 85
Junior/Senior High Schools	25	84	68 - 93
<b>All schools</b>	<b>279</b>	<b>82</b>	<b>78 - 86</b>
<b>j. Preventing injury during physical activity</b>			
High Schools	115	93	89 - 96
Middle Schools	140	90	85 - 93
Junior/Senior High Schools	25	96	83 - 99
<b>All schools</b>	<b>280</b>	<b>92</b>	<b>89 - 94</b>
<b>k. Weather-related safety (e.g., avoiding heat stroke, hypothermia, and sunburn while physically active)</b>			
High Schools	115	86	81 - 90
Middle Schools	141	74	67 - 80
Junior/Senior High Schools	25	88	72 - 95
<b>All schools</b>	<b>281</b>	<b>80</b>	<b>76 - 83</b>

\*Responses to question 12 a through l all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**12. Percentage of schools in which teachers taught each of the following physical activity topics in a required health education course for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>I. Dangers of using performance-enhancing drugs, such as steroids</b>			
High Schools	115	97	92 - 98
Middle Schools	141	87	81 - 91
Junior/Senior High Schools	25	92	77 - 97
<b>All schools</b>	<b>281</b>	<b>91</b>	<b>88 - 94</b>
<b>All 12 physical activity topics*</b>			
High Schools	114	54	47 - 62
Middle Schools	141	47	40 - 54
Junior/Senior High Schools	25	44	27 - 63
<b>All schools</b>	<b>280</b>	<b>50</b>	<b>45 - 55</b>

\*Responses to question 12 a through I all are "yes."

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**13. Percentage of schools that provide any HIV, STD, or pregnancy prevention programs for ethnic/racial minority youth at high risk, including after-school or supplemental programs, that did each of the following activities.**

	N	Percent	95% Confidence Interval
<b>a. Provided curricula or supplementary materials that include pictures, information, and learning experiences that reflect the life experiences of these youth in their communities</b>			
High Schools	113	24	18 - 31
Middle Schools	145	12	9 - 17
Junior/Senior High Schools	26	19	9 - 37
<b>All schools</b>	<b>284</b>	<b>17</b>	<b>14 - 21</b>
<b>b. Provided curricula or supplementary materials in the primary languages of the youth and families</b>			
High Schools	113	18	13 - 24
Middle Schools	145	12	9 - 18
Junior/Senior High Schools	26	15	7 - 32
<b>All schools</b>	<b>284</b>	<b>15</b>	<b>12 - 18</b>
<b>c. Facilitated access to direct health services or arrangements with providers not on school property who have experience in serving these youth in the community</b>			
High Schools	113	25	19 - 32
Middle Schools	145	12	9 - 17
Junior/Senior High Schools	26	23	12 - 41
<b>All schools</b>	<b>284</b>	<b>18</b>	<b>15 - 22</b>
<b>d. Facilitated access to direct social services and psychological services or arrangements with providers not on school property who have experience in serving these youth in the community</b>			
High Schools	113	25	19 - 32
Middle Schools	145	12	8 - 18
Junior/Senior High Schools	26	23	12 - 41
<b>All schools</b>	<b>284</b>	<b>18</b>	<b>15 - 22</b>

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**14. Percentage of schools in which health education staff worked with the following groups on health education activities during the current school year.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Physical education staff</b>			
High Schools	116	89	83 - 93
Middle Schools	145	84	79 - 88
Junior/Senior High Schools	26	92	91 - 93
<b>All schools</b>	<b>287</b>	<b>87</b>	<b>83 - 89</b>
<b>b. School health services staff (e.g., nurses)</b>			
High Schools	116	76	69 - 82
Middle Schools	145	68	61 - 74
Junior/Senior High Schools	26	77	58 - 89
<b>All schools</b>	<b>287</b>	<b>72</b>	<b>67 - 76</b>
<b>c. School mental health or social services staff (e.g., psychologists, counselors, and social workers)</b>			
High Schools	115	76	68 - 82
Middle Schools	145	65	58 - 72
Junior/Senior High Schools	26	69	53 - 82
<b>All schools</b>	<b>286</b>	<b>70</b>	<b>65 - 74</b>
<b>d. Nutrition or food service staff</b>			
High Schools	116	41	34 - 49
Middle Schools	145	33	27 - 40
Junior/Senior High Schools	26	50	33 - 67
<b>All schools</b>	<b>287</b>	<b>38</b>	<b>33 - 43</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**15. Percentage of schools that provided parents and families with health information designed to increase parent and family knowledge of the following topics during the current school year.**

	N	Percent	95% Confidence Interval
<b>a. HIV prevention, STD prevention, or teen pregnancy prevention</b>			
High Schools	114	28	21 - 36
Middle Schools	143	25	20 - 31
Junior/Senior High Schools	26	23	13 - 38
<b>All schools</b>	<b>283</b>	<b>26</b>	<b>22 - 31</b>
<b>b. Tobacco-use prevention</b>			
High Schools	114	27	21 - 35
Middle Schools	143	38	32 - 45
Junior/Senior High Schools	26	31	18 - 47
<b>All schools</b>	<b>283</b>	<b>33</b>	<b>29 - 38</b>
<b>c. Physical activity</b>			
High Schools	114	40	33 - 48
Middle Schools	143	50	43 - 57
Junior/Senior High Schools	26	31	20 - 43
<b>All schools</b>	<b>283</b>	<b>44</b>	<b>40 - 49</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	115	40	32 - 48
Middle Schools	143	58	51 - 64
Junior/Senior High Schools	26	42	28 - 58
<b>All schools</b>	<b>284</b>	<b>49</b>	<b>45 - 54</b>
<b>e. Asthma</b>			
High Schools	113	11	7 - 17
Middle Schools	143	15	11 - 21
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>282</b>	<b>12</b>	<b>9 - 16</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**16. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. Alcohol- or other drug-use prevention</b>			
High Schools	116	53	44 - 61
Middle Schools	145	47	41 - 53
Junior/Senior High Schools	26	54	42 - 65
<b>All schools</b>	<b>287</b>	<b>50</b>	<b>45 - 54</b>
<b>b. Asthma awareness</b>			
High Schools	116	10	6 - 16
Middle Schools	145	15	10 - 20
Junior/Senior High Schools	26	4	1 - 18
<b>All schools</b>	<b>287</b>	<b>12</b>	<b>9 - 16</b>
<b>c. Emotional and mental health</b>			
High Schools	116	52	44 - 59
Middle Schools	145	42	36 - 49
Junior/Senior High Schools	26	42	35 - 50
<b>All schools</b>	<b>287</b>	<b>46</b>	<b>42 - 50</b>
<b>d. Foodborne illness prevention</b>			
High Schools	116	16	12 - 22
Middle Schools	144	12	8 - 17
Junior/Senior High Schools	26	15	7 - 31
<b>All schools</b>	<b>286</b>	<b>14</b>	<b>11 - 17</b>
<b>e. HIV (human immunodeficiency virus) prevention</b>			
High Schools	116	38	30 - 46
Middle Schools	145	29	23 - 37
Junior/Senior High Schools	26	23	11 - 42
<b>All schools</b>	<b>287</b>	<b>32</b>	<b>27 - 37</b>
<b>f. Human sexuality</b>			
High Schools	116	43	36 - 50
Middle Schools	144	35	29 - 42
Junior/Senior High Schools	26	38	24 - 55
<b>All schools</b>	<b>286</b>	<b>39</b>	<b>34 - 43</b>
<b>g. Injury prevention and safety</b>			
High Schools	116	45	38 - 53
Middle Schools	145	43	37 - 50
Junior/Senior High Schools	26	54	38 - 69
<b>All schools</b>	<b>287</b>	<b>45</b>	<b>40 - 50</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**16. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>h. Nutrition and dietary behavior</b>			
High Schools	116	49	41 - 57
Middle Schools	145	47	40 - 54
Junior/Senior High Schools	26	42	28 - 58
<b>All schools</b>	<b>287</b>	<b>47</b>	<b>42 - 52</b>
<b>i. Physical activity and fitness</b>			
High Schools	116	59	50 - 66
Middle Schools	145	52	45 - 59
Junior/Senior High Schools	26	61	45 - 76
<b>All schools</b>	<b>287</b>	<b>56</b>	<b>51 - 61</b>
<b>j. Pregnancy prevention</b>			
High Schools	116	28	22 - 36
Middle Schools	145	27	21 - 33
Junior/Senior High Schools	26	19	9 - 37
<b>All schools</b>	<b>287</b>	<b>27</b>	<b>23 - 31</b>
<b>k. STD (sexually transmitted disease) prevention</b>			
High Schools	116	37	30 - 45
Middle Schools	145	32	26 - 39
Junior/Senior High Schools	26	23	11 - 41
<b>All schools</b>	<b>287</b>	<b>33</b>	<b>29 - 38</b>
<b>l. Suicide prevention</b>			
High Schools	116	47	40 - 55
Middle Schools	144	33	27 - 39
Junior/Senior High Schools	26	43	29 - 58
<b>All schools</b>	<b>286</b>	<b>39</b>	<b>35 - 44</b>
<b>m. Tobacco-use prevention</b>			
High Schools	115	33	26 - 41
Middle Schools	144	41	35 - 47
Junior/Senior High Schools	26	31	17 - 48
<b>All schools</b>	<b>285</b>	<b>37</b>	<b>32 - 42</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**16. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>n. Violence prevention</b>			
High Schools	116	59	51 - 67
Middle Schools	145	52	45 - 58
Junior/Senior High Schools	26	65	51 - 77
<b>All schools</b>	<b>287</b>	<b>56</b>	<b>51 - 61</b>

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**17. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. Describing how widespread HIV and other STD infections are and the consequences of these infections</b>			
High Schools	116	35	28 - 43
Middle Schools	145	25	19 - 31
Junior/Senior High Schools	26	31	18 - 48
<b>All schools</b>	<b>287</b>	<b>30</b>	<b>25 - 34</b>
<b>b. Understanding the modes of transmission and effective prevention strategies for HIV and other STDs</b>			
High Schools	115	33	26 - 41
Middle Schools	145	28	22 - 34
Junior/Senior High Schools	26	27	16 - 43
<b>All schools</b>	<b>286</b>	<b>30</b>	<b>25 - 34</b>
<b>c. Identifying populations of youth who are at high risk of being infected with HIV and other STDs</b>			
High Schools	116	30	23 - 38
Middle Schools	145	21	16 - 27
Junior/Senior High Schools	26	23	13 - 38
<b>All schools</b>	<b>287</b>	<b>25</b>	<b>21 - 29</b>
<b>d. Implementing health education strategies using prevention messages that are likely to be effective in reaching youth</b>			
High Schools	116	42	34 - 51
Middle Schools	145	30	24 - 36
Junior/Senior High Schools	26	46	32 - 61
<b>All schools</b>	<b>287</b>	<b>36</b>	<b>31 - 41</b>
<b>e. Teaching HIV prevention education to students with physical, medical, or cognitive disabilities</b>			
High Schools	115	16	11 - 23
Middle Schools	143	9	6 - 13
Junior/Senior High Schools	26	15	7 - 32
<b>All schools</b>	<b>284</b>	<b>12</b>	<b>9 - 16</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**17. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>f. Teaching HIV prevention education to students of various cultural backgrounds</b>			
High Schools	116	16	10 - 22
Middle Schools	145	10	7 - 15
Junior/Senior High Schools	26	12	4 - 27
<b>All schools</b>	<b>287</b>	<b>12</b>	<b>9 - 16</b>
<b>g. Using interactive teaching methods, such as role plays or cooperative group activities, for HIV prevention education</b>			
High Schools	115	26	20 - 33
Middle Schools	145	20	15 - 26
Junior/Senior High Schools	25	28	15 - 46
<b>All schools</b>	<b>285</b>	<b>23</b>	<b>19 - 28</b>
<b>h. Teaching essential skills for health behavior change related to HIV prevention and guiding student practice of these skills</b>			
High Schools	115	30	23 - 37
Middle Schools	145	20	15 - 27
Junior/Senior High Schools	26	35	24 - 48
<b>All schools</b>	<b>286</b>	<b>25</b>	<b>21 - 30</b>
<b>i. Teaching about health-promoting social norms and beliefs related to HIV prevention</b>			
High Schools	116	26	20 - 33
Middle Schools	145	17	13 - 23
Junior/Senior High Schools	26	27	16 - 43
<b>All schools</b>	<b>287</b>	<b>21</b>	<b>18 - 26</b>
<b>j. Strategies for involving parents, families, and others in student learning of HIV prevention education</b>			
High Schools	114	11	7 - 18
Middle Schools	144	11	7 - 16
Junior/Senior High Schools	26	23	11 - 41
<b>All schools</b>	<b>284</b>	<b>12</b>	<b>9 - 16</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**17. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>k. Assessing students' performance in HIV prevention education</b>			
High Schools	116	21	15 - 28
Middle Schools	145	15	11 - 20
Junior/Senior High Schools	26	27	16 - 43
<b>All schools</b>	<b>287</b>	<b>18</b>	<b>15 - 22</b>
<b>l. Implementing standards-based HIV prevention education curriculum and student assessment</b>			
High Schools	114	22	16 - 29
Middle Schools	145	14	10 - 20
Junior/Senior High Schools	26	23	11 - 42
<b>All schools</b>	<b>285</b>	<b>18</b>	<b>14 - 22</b>
<b>m. Using technology to improve HIV prevention education instruction</b>			
High Schools	115	18	13 - 25
Middle Schools	145	13	9 - 19
Junior/Senior High Schools	26	19	9 - 37
<b>All schools</b>	<b>286</b>	<b>16</b>	<b>12 - 20</b>
<b>n. Teaching HIV prevention education to students with limited English proficiency</b>			
High Schools	116	6	3 - 11
Middle Schools	145	5	3 - 9
Junior/Senior High Schools	26	12	4 - 28
<b>All schools</b>	<b>287</b>	<b>6</b>	<b>4 - 9</b>
<b>o. Addressing community concerns and challenges related to HIV prevention education</b>			
High Schools	116	15	10 - 21
Middle Schools	145	6	4 - 10
Junior/Senior High Schools	26	15	7 - 32
<b>All schools</b>	<b>287</b>	<b>10</b>	<b>8 - 14</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**18. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following health education topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Alcohol- or other drug-use prevention</b>			
High Schools	116	81	75 - 86
Middle Schools	144	76	70 - 81
Junior/Senior High Schools	26	73	58 - 84
<b>All schools</b>	<b>286</b>	<b>78</b>	<b>74 - 81</b>
<b>b. Asthma awareness</b>			
High Schools	116	57	50 - 64
Middle Schools	144	65	58 - 71
Junior/Senior High Schools	26	46	32 - 62
<b>All schools</b>	<b>286</b>	<b>60</b>	<b>55 - 65</b>
<b>c. Emotional and mental health</b>			
High Schools	116	74	67 - 80
Middle Schools	144	76	71 - 81
Junior/Senior High Schools	26	69	53 - 82
<b>All schools</b>	<b>286</b>	<b>75</b>	<b>71 - 79</b>
<b>d. Foodborne illness prevention</b>			
High Schools	115	63	54 - 70
Middle Schools	144	56	49 - 63
Junior/Senior High Schools	26	50	36 - 64
<b>All schools</b>	<b>285</b>	<b>58</b>	<b>53 - 63</b>
<b>e. HIV (human immunodeficiency virus) prevention</b>			
High Schools	116	82	75 - 87
Middle Schools	144	76	70 - 81
Junior/Senior High Schools	26	73	55 - 86
<b>All schools</b>	<b>286</b>	<b>78</b>	<b>74 - 82</b>
<b>f. Human sexuality</b>			
High Schools	115	81	74 - 86
Middle Schools	144	76	70 - 81
Junior/Senior High Schools	26	73	61 - 82
<b>All schools</b>	<b>285</b>	<b>77</b>	<b>73 - 81</b>
<b>g. Injury prevention and safety</b>			
High Schools	116	62	55 - 69
Middle Schools	144	60	54 - 66
Junior/Senior High Schools	26	58	46 - 69
<b>All schools</b>	<b>286</b>	<b>61</b>	<b>56 - 65</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**18. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following health education topics.**

	N	Percent	95% Confidence Interval
<b>h. Nutrition and dietary behavior</b>			
High Schools	116	80	73 - 86
Middle Schools	144	74	68 - 79
Junior/Senior High Schools	26	85	73 - 92
<b>All schools</b>	<b>286</b>	<b>77</b>	<b>73 - 81</b>
<b>i. Physical activity and fitness</b>			
High Schools	115	71	63 - 79
Middle Schools	144	67	61 - 73
Junior/Senior High Schools	26	58	45 - 70
<b>All schools</b>	<b>285</b>	<b>68</b>	<b>63 - 72</b>
<b>j. Pregnancy prevention</b>			
High Schools	116	78	72 - 84
Middle Schools	143	67	61 - 73
Junior/Senior High Schools	26	69	55 - 80
<b>All schools</b>	<b>285</b>	<b>72</b>	<b>68 - 76</b>
<b>k. STD (sexually transmitted disease) prevention</b>			
High Schools	114	82	75 - 87
Middle Schools	144	76	71 - 81
Junior/Senior High Schools	26	73	61 - 82
<b>All schools</b>	<b>284</b>	<b>78</b>	<b>74 - 81</b>
<b>l. Suicide prevention</b>			
High Schools	115	76	68 - 82
Middle Schools	144	76	69 - 81
Junior/Senior High Schools	26	92	78 - 98
<b>All schools</b>	<b>285</b>	<b>77</b>	<b>73 - 81</b>
<b>m. Tobacco-use prevention</b>			
High Schools	114	75	67 - 81
Middle Schools	144	68	61 - 74
Junior/Senior High Schools	26	69	52 - 82
<b>All schools</b>	<b>284</b>	<b>71</b>	<b>66 - 75</b>
<b>n. Violence prevention</b>			
High Schools	114	78	73 - 83
Middle Schools	144	73	67 - 78
Junior/Senior High Schools	26	85	75 - 91
<b>All schools</b>	<b>284</b>	<b>76</b>	<b>72 - 79</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**19. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. Teaching students with physical, medical, or cognitive disabilities</b>			
High Schools	116	31	24 - 39
Middle Schools	144	36	30 - 43
Junior/Senior High Schools	26	42	27 - 60
<b>All schools</b>	<b>286</b>	<b>35</b>	<b>30 - 40</b>
<b>b. Teaching students of various cultural backgrounds</b>			
High Schools	116	31	25 - 38
Middle Schools	144	32	26 - 39
Junior/Senior High Schools	26	19	10 - 33
<b>All schools</b>	<b>286</b>	<b>31</b>	<b>26 - 35</b>
<b>c. Teaching students with limited English proficiency</b>			
High Schools	116	19	13 - 26
Middle Schools	144	17	13 - 23
Junior/Senior High Schools	26	8	2 - 22
<b>All schools</b>	<b>286</b>	<b>17</b>	<b>14 - 21</b>
<b>d. Using interactive teaching methods, such as role plays or cooperative group activities</b>			
High Schools	116	48	41 - 56
Middle Schools	144	47	40 - 55
Junior/Senior High Schools	26	35	20 - 53
<b>All schools</b>	<b>286</b>	<b>47</b>	<b>42 - 52</b>
<b>e. Encouraging family or community involvement</b>			
High Schools	114	31	24 - 39
Middle Schools	144	27	22 - 34
Junior/Senior High Schools	26	23	13 - 37
<b>All schools</b>	<b>284</b>	<b>28</b>	<b>24 - 33</b>
<b>f. Teaching skills for behavior change</b>			
High Schools	116	42	35 - 50
Middle Schools	143	40	33 - 47
Junior/Senior High Schools	26	38	25 - 54
<b>All schools</b>	<b>285</b>	<b>41</b>	<b>36 - 46</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**19. Percentage of schools in which the lead health education teacher received professional development (such as workshops, conferences, continuing education, or any other kind of in-service) on each of the following topics during the past two years.**

	N	Percent	95% Confidence Interval
<b>g. Classroom management techniques, such as social skills training, environmental modification, conflict resolution and mediation, and behavior management</b>			
High Schools	115	48	40 - 56
Middle Schools	143	50	43 - 57
Junior/Senior High Schools	26	54	37 - 69
<b>All schools</b>	<b>284</b>	<b>50</b>	<b>45 - 55</b>
<b>h. Assessing or evaluating students in health education</b>			
High Schools	115	43	35 - 51
Middle Schools	144	42	36 - 48
Junior/Senior High Schools	26	31	17 - 49
<b>All schools</b>	<b>285</b>	<b>41</b>	<b>36 - 46</b>

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**20. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Teaching students with physical, medical, or cognitive disabilities</b>			
High Schools	116	63	56 - 70
Middle Schools	144	60	54 - 66
Junior/Senior High Schools	26	39	25 - 54
<b>All schools</b>	<b>286</b>	<b>59</b>	<b>55 - 64</b>
<b>b. Teaching students of various cultural backgrounds</b>			
High Schools	115	58	51 - 65
Middle Schools	144	55	48 - 61
Junior/Senior High Schools	26	39	24 - 56
<b>All schools</b>	<b>285</b>	<b>55</b>	<b>50 - 59</b>
<b>c. Teaching students with limited English proficiency</b>			
High Schools	116	53	46 - 59
Middle Schools	144	53	46 - 60
Junior/Senior High Schools	26	35	22 - 50
<b>All schools</b>	<b>286</b>	<b>51</b>	<b>46 - 56</b>
<b>d. Using interactive teaching methods, such as role plays or cooperative group activities</b>			
High Schools	115	74	67 - 80
Middle Schools	144	69	63 - 75
Junior/Senior High Schools	26	50	37 - 63
<b>All schools</b>	<b>285</b>	<b>69</b>	<b>65 - 74</b>
<b>e. Encouraging family or community involvement</b>			
High Schools	116	75	68 - 81
Middle Schools	144	73	67 - 79
Junior/Senior High Schools	26	73	57 - 85
<b>All schools</b>	<b>286</b>	<b>74</b>	<b>69 - 78</b>
<b>f. Teaching skills for behavior change</b>			
High Schools	116	81	75 - 86
Middle Schools	144	79	73 - 84
Junior/Senior High Schools	26	69	49 - 84
<b>All schools</b>	<b>286</b>	<b>79</b>	<b>75 - 83</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**20. Percentage of schools in which the lead health education teacher would like to receive professional development on each of the following topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Classroom management techniques, such as social skills training, environmental modification, conflict resolution and mediation, and behavior management</b>			
High Schools	116	66	59 - 73
Middle Schools	144	72	65 - 77
Junior/Senior High Schools	26	46	28 - 66
<b>All schools</b>	<b>286</b>	<b>67</b>	<b>63 - 72</b>
<b>h. Assessing or evaluating students in health education</b>			
High Schools	116	79	72 - 85
Middle Schools	143	75	69 - 80
Junior/Senior High Schools	26	54	35 - 71
<b>All schools</b>	<b>285</b>	<b>75</b>	<b>70 - 79</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**21. Percentage of schools in which the major emphasis of the lead health education teacher's professional preparation was on the following:**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Health and physical education combined</b>			
High Schools	114	67	58 - 74
Middle Schools	137	63	56 - 70
Junior/Senior High Schools	26	65	47 - 80
<b>All schools</b>	<b>277</b>	<b>65</b>	<b>60 - 69</b>
<b>b. Health education</b>			
High Schools	114	8	5 - 14
Middle Schools	137	9	5 - 14
Junior/Senior High Schools	26	8	2 - 23
<b>All schools</b>	<b>277</b>	<b>8</b>	<b>6 - 12</b>
<b>c. Physical education</b>			
High Schools	114	12	8 - 18
Middle Schools	137	7	4 - 11
Junior/Senior High Schools	26	11	4 - 27
<b>All schools</b>	<b>277</b>	<b>9</b>	<b>7 - 13</b>
<b>d. Other education degree</b>			
High Schools	114	4	2 - 9
Middle Schools	137	8	5 - 12
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>6</b>	<b>4 - 9</b>
<b>e. Kinesiology, exercise science, or exercise physiology</b>			
High Schools	114	1	0 - 4
Middle Schools	137	1	0 - 4
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>1</b>	<b>0 - 2</b>
<b>f. Home economics or family and consumer science</b>			
High Schools	114	7	4 - 12
Middle Schools	137	7	4 - 12
Junior/Senior High Schools	26	12	4 - 27
<b>All schools</b>	<b>277</b>	<b>8</b>	<b>5 - 11</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**21. Percentage of schools in which the major emphasis of the lead health education teacher's professional preparation was on the following:**

	N	Percent	95% Confidence Interval
<b>g. Biology or other science</b>			
High Schools	114	1	0 - 4
Middle Schools	137	2	1 - 5
Junior/Senior High Schools	26	4	1 - 18
<b>All schools</b>	<b>277</b>	<b>2</b>	<b>1 - 4</b>
<b>h. Nursing</b>			
High Schools	114	0	NA
Middle Schools	137	3	1 - 6
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>1</b>	<b>1 - 3</b>
<b>i. Counseling</b>			
High Schools	114	0	NA
Middle Schools	137	0	NA
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>0</b>	<b>NA</b>
<b>j. Public health</b>			
High Schools	114	0	NA
Middle Schools	137	0	NA
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>0</b>	<b>NA</b>
<b>k. Nutrition</b>			
High Schools	114	0	NA
Middle Schools	137	0	NA
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>0</b>	<b>NA</b>
<b>l. Other</b>			
High Schools	114	0	NA
Middle Schools	137	0	NA
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>0</b>	<b>NA</b>

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**21N. Percentage of schools in which the major emphasis of the lead health education teacher's professional preparation was on the following:\***

	N	Percent	95% Confidence Interval
<b>Health education or health and physical education combined (a or b)</b>			
High Schools	114	75	67 - 81
Middle Schools	137	72	65 - 78
Junior/Senior High Schools	26	73	54 - 86
<b>All schools</b>	<b>277</b>	<b>73</b>	<b>68 - 77</b>
<b>Physical education, kinesiology, exercise science or exercise physiology (c or e)</b>			
High Schools	114	13	9 - 19
Middle Schools	137	8	5 - 12
Junior/Senior High Schools	26	11	4 - 27
<b>All schools</b>	<b>277</b>	<b>10</b>	<b>8 - 13</b>
<b>Home economics or family and consumer science, biology or other science, or nutrition (f, g, or k)</b>			
High Schools	114	8	5 - 13
Middle Schools	137	10	6 - 15
Junior/Senior High Schools	26	16	7 - 32
<b>All schools</b>	<b>277</b>	<b>9</b>	<b>7 - 13</b>
<b>Nursing or counseling (h or i)</b>			
High Schools	114	0	NA
Middle Schools	137	3	1 - 6
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>1</b>	<b>1 - 3</b>
<b>Public health or other (j or l)</b>			
High Schools	114	0	NA
Middle Schools	137	0	NA
Junior/Senior High Schools	26	0	NA
<b>All schools</b>	<b>277</b>	<b>0</b>	<b>NA</b>

\*Multiple responses to question 21 are combined.

NA=Not available

N=Unweighted number of observations

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**22. Percentage of schools in which the lead health education teacher is certified, licensed, or endorsed by the state to teach health education in middle school or high school.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	116	97	93 - 99
Middle Schools	144	86	81 - 90
Junior/Senior High Schools	26	100	NA
<b>All schools</b>	<b>286</b>	<b>92</b>	<b>89 - 94</b>

**Wisconsin  
2008 School Health Profiles Report  
Weighted Lead Health Education Teacher Survey Results**

**23. Percentage of schools in which the lead health education teacher had the following number of years' experience in teaching health education classes or topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. 1 year</b>			
High Schools	116	5	3 - 10
Middle Schools	144	9	6 - 13
Junior/Senior High Schools	26	4	1 - 17
<b>All schools</b>	<b>286</b>	<b>7</b>	<b>5 - 10</b>
<b>b. 2 to 5 years</b>			
High Schools	116	21	16 - 27
Middle Schools	144	17	13 - 23
Junior/Senior High Schools	26	15	7 - 32
<b>All schools</b>	<b>286</b>	<b>19</b>	<b>15 - 22</b>
<b>c. 6 to 9 years</b>			
High Schools	116	16	12 - 23
Middle Schools	144	19	14 - 25
Junior/Senior High Schools	26	19	11 - 32
<b>All schools</b>	<b>286</b>	<b>18</b>	<b>15 - 22</b>
<b>d. 10 to 14 years</b>			
High Schools	116	12	8 - 18
Middle Schools	144	21	17 - 26
Junior/Senior High Schools	26	15	6 - 32
<b>All schools</b>	<b>286</b>	<b>17</b>	<b>14 - 21</b>
<b>e. 15 years or more</b>			
High Schools	116	46	38 - 53
Middle Schools	144	33	27 - 40
Junior/Senior High Schools	26	46	31 - 62
<b>All schools</b>	<b>286</b>	<b>39</b>	<b>35 - 44</b>